



TOMASON

PCR TIRES

2021



About us

Tomason – Dynamic & Safety Tire from Germany

Founded in Germany, Tomason has been active in the rim and tire market for over 20 years.

When the first Tomason tire, the SportRace, was developed and launched in 2016, the feedback from customers was so overwhelming as it was always for Tomason Rim. We have been constantly developing new tires and designs ever since.

TOMASON expresses dynamism, performance, passion and safety to all its customers!

TOMASON delivers first-class design, great handling and reliability through its tire which covers a wide range of vehicle types - sports cars, VAN, SUV and commercial vehicles, from small to compact, middle class to luxury, with classic and mini designs from 12" as well as aggressive and superb designs up to 22".

To provide high quality products at a fair price is the pursue of TOMASON. Thanks to our innovative design team, we are keeping pace with the trend, and will always be.

At TOMASON, we stand united with our customers for a safer way forward.



CONTENTS

| | |
|------------------------------|--------------|
| COMFORT ECO | 1-2 |
| SPORTTRACE | 3-4 |
| SPORT TERRA H/T | 5-6 |
| SPORT SUV | 7-8 |
| ECO TRANS | 9-10 |
| ECO TERRA A/T | 11-12 |
| SPORT TERRA M/T | 13 |



COMFORT ECO

UTQG: 400 A A



Four main grooves design ensures anti-hydroplaning performance.

Improve stability and straight-line performance at high speed.

High density sipes design reduces noise level while improves wet grip performance.



COMFORT PCR



| Rim Diameter | Size Description | Sidewall |
|---------------|------------------|----------|
| 12 | 145/70R12 69T | BSW |
| | 145/80R12 74T | BSW |
| | 155/70R12 73T | BSW |
| | 155/80R12 77T | BSW |
| | 165/70R12 77T | BSW |
| | 175/70R12 81T | BSW |
| 13 | 145/70R13 71T | BSW |
| | 145/80R13 75T | BSW |
| | 155/65R13 73T | BSW |
| | 155/70R13 75T | BSW |
| | 155/80R13 79T | BSW |
| | 165/65R13 77T | BSW |
| | 165/70R13 79T | BSW |
| | 165/80R13 83T | BSW |
| | 175/60R13 77H | BSW |
| | 175/65R13 80T | BSW |
| 175/70R13 82T | BSW | |
| 14 | 185/70R13 86T | BSW |
| | 155/65R14 75T | BSW |
| | 155/70R14 77T | BSW |
| | 165/60R14 75H | BSW |
| | 165/65R14 79T | BSW |
| | 165/70R14 81T | BSW |
| | 175/60R14 79H | BSW |
| | 175/65R14 82H | BSW |
| | 175/65R14 86TXL | BSW |
| | 175/70R14 84T | BSW |
| | 175/70R14 88TXL | BSW |
| | 185/50R14 77V | BSW |
| | 185/55R14 80H | BSW |
| | 185/60R14 82H | BSW |
| 185/65R14 86H | BSW | |
| 185/70R14 88T | BSW | |
| 195/60R14 86H | BSW | |
| 195/65R14 89H | BSW | |
| 195/70R14 91T | BSW | |
| 205/60R14 88H | BSW | |
| 205/70R14 95T | BSW | |

| Rim Diameter | Size Description | Sidewall |
|------------------|------------------|----------|
| 15 | 155/60R15 74T | BSW |
| | 165/60R15 81TXL | BSW |
| | 165/65R15 81T | BSW |
| | 175/55R15 77T | BSW |
| | 175/60R15 81V | BSW |
| | 175/65R15 84H | BSW |
| | 185/55R15 82V | BSW |
| | 185/60R15 84H | BSW |
| | 185/60R15 88HXL | BSW |
| | 185/65R15 88H | BSW |
| | 185/65R15 92HXL | BSW |
| | 195/50R15 82V | BSW |
| | 195/55R15 85V | BSW |
| | 195/60R15 88H | BSW |
| | 195/60R15 88V | BSW |
| | 195/65R15 91V | BSW |
| | 195/65R15 95HXL | BSW |
| | 205/60R15 91V | BSW |
| 205/65R15 94H | BSW | |
| 205/65R15 94V | BSW | |
| 205/70R15 96T | BSW | |
| 215/65R15 96H | BSW | |
| 215/65R15 100HXL | BSW | |
| 215/70R15 98T | BSW | |
| 16 | 175/50R16 77V | BSW |
| | 185/50R16 81V | BSW |
| | 185/55R16 83V | BSW |
| | 195/50R16 84V | BSW |
| | 195/55R16 87V | BSW |
| | 195/60R16 89H | BSW |
| | 205/50ZR16 87W | BSW |
| | 205/55R16 91V | BSW |
| | 205/60R16 92V | BSW |
| | 205/65R16 95H | BSW |
| | 215/55ZR16 97WXL | BSW |
| | 215/60R16 95V | BSW |
| | 215/60R16 99HXL | BSW |
| | 215/65R16 98H | BSW |
| | 215/65R16 102HXL | BSW |
| 225/50ZR16 96WXL | BSW | |
| 225/55ZR16 99WXL | BSW | |
| 225/60R16 98H | BSW | |

SPORT RACE

UTQG: 320 A A



Four main asymmetric grooves design ensures anti-hydroplaning performance.

Continuous, circumference solid center rib ensures linear stability at speed and provides crisp steering response.

The sharp crosscutting groove and the sipe design improves anti-hydroplaning performance.



1222/2009 - C1

HIGH PERFORMANCE



| Rim Diameter | Size Description | Sidewall |
|-------------------|-------------------|----------|
| 15 | 195/45R15 78V | BSW |
| | 195/45R16 84VXL | BSW |
| | 205/45ZR16 87WXL | BSW |
| | 205/55ZR16 94WXL | BSW |
| 16 | 215/40ZR16 86WXL | BSW |
| | 215/45R16 90VXL | BSW |
| | 195/40ZR17 81WXL | BSW |
| | 195/45ZR17 85WXL | BSW |
| | 205/40ZR17 84WXL | BSW |
| 17 | 205/45ZR17 88WXL | BSW |
| | 205/50ZR17 93WXL | BSW |
| | 205/55ZR17 95WXL | BSW |
| | 215/40ZR17 87WXL | BSW |
| | 215/45ZR17 91WXL | BSW |
| | 215/50ZR17 95WXL | BSW |
| | 215/55ZR17 98WXL | BSW |
| | 225/45ZR17 94YXL | BSW |
| | 225/50ZR17 98YXL | BSW |
| | 225/55ZR17 101WXL | BSW |
| | 235/45ZR17 97WXL | BSW |
| | 235/50ZR17 100WXL | BSW |
| 18 | 235/55ZR17 103WXL | BSW |
| | 245/40ZR17 95WXL | BSW |
| | 245/45ZR17 99WXL | BSW |
| | 215/35ZR18 84WXL | BSW |
| | 215/40ZR18 89YXL | BSW |
| | 215/45ZR18 93YXL | BSW |
| | 215/55R18 99VXL | BSW |
| | 225/35ZR18 87YXL | BSW |
| | 225/40ZR18 92YXL | BSW |
| | 225/45ZR18 95YXL | BSW |
| | 225/50ZR18 99WXL | BSW |
| | 225/55R18 98V | BSW |
| 19 | 235/40ZR18 95YXL | BSW |
| | 235/45ZR18 98WXL | BSW |
| | 235/50ZR18 101YXL | BSW |
| | 245/35ZR18 92YXL | BSW |
| | 245/40ZR18 97YXL | BSW |
| | 245/45ZR18 100YXL | BSW |
| | 245/50ZR18 104WXL | BSW |
| | 255/35ZR18 94YXL | BSW |
| | 255/40ZR18 99YXL | BSW |
| | 255/45ZR18 103YXL | BSW |
| | 255/50ZR18 109YXL | BSW |
| | 265/35ZR18 97YXL | BSW |
| 20 | 225/30ZR19 84YXL | BSW |
| | 225/35ZR19 88YXL | BSW |
| | 225/40ZR19 93YXL | BSW |
| | 225/45ZR19 96YXL | BSW |
| | 225/55ZR19 103WXL | BSW |
| | 235/35ZR19 91YXL | BSW |
| | 235/40ZR19 96YXL | BSW |
| | 235/45ZR19 99YXL | BSW |
| | 235/50ZR19 103YXL | BSW |
| | 235/55ZR19 105YXL | BSW |
| | 245/35ZR19 93YXL | BSW |
| | 245/40ZR19 98YXL | BSW |
| 245/45ZR19 102YXL | BSW | |
| 245/55ZR19 107WXL | BSW | |
| 255/30ZR19 91YXL | BSW | |
| 255/35ZR19 96YXL | BSW | |
| 255/40ZR19 100YXL | BSW | |
| 255/45ZR19 104YXL | BSW | |
| 255/50ZR19 107YXL | BSW | |
| 255/55ZR19 111WXL | BSW | |
| 265/30ZR19 93WXL | BSW | |
| 265/50ZR19 110YXL | BSW | |
| 275/30ZR19 96YXL | BSW | |
| 275/35ZR19 100YXL | BSW | |
| 275/40ZR19 105YXL | BSW | |
| 275/45ZR19 108YXL | BSW | |
| 275/55ZR19 111W | BSW | |
| 285/45ZR19 111YXL | BSW | |
| 21 | 225/30ZR20 85WXL | BSW |
| | 225/35ZR20 93WXL | BSW |
| | 235/30ZR20 88YXL | BSW |
| | 245/30ZR20 95YXL | BSW |
| | 245/35ZR20 95YXL | BSW |
| | 245/40ZR20 99YXL | BSW |
| | 245/45ZR20 103YXL | BSW |
| | 245/50ZR20 106YXL | BSW |
| | 255/30ZR20 92YXL | BSW |
| | 255/35ZR20 97YXL | BSW |
| | 255/40ZR20 101YXL | BSW |
| | 255/45ZR20 105YXL | BSW |
| 255/50ZR20 109YXL | BSW | |
| 255/55ZR20 110WXL | BSW | |
| 275/30ZR20 97YXL | BSW | |
| 275/35ZR20 102YXL | BSW | |

SPORT TERRA H/T

UTQG: 500 A A



The open shoulder grooves design enhances wet grip performance.

Four wide circumferential tread grooves deliver the ride stability. Improved grooves and bead profile design.

High-density sipes with special compound improves traction on dry and wet roads.

SPORT TERRA H/T is a professional tire for sport utility vehicles. The special tread compound provides maximum grip on wet and dry surfaces. At the same time, it provides high speed, comfort and security with superb driving performance.

- RIM: 16-18
- SPEED: H/V/HXL/VXL
- ASPECT RATIO: 55-70
- SECTION WIDTH: 215-285

HIGHWAY TERRAIN



Economical

Silence

Wet

Stability

EU LABELLING

1222/2009 - C1


| Rim Diameter | Size Description | Sidewall |
|------------------|------------------|----------|
| 16 | 215/70R16 100H | BSW |
| | 225/70R16 107HXL | BSW |
| | 235/60R16 100H | BSW |
| | 235/65R16 107HXL | BSW |
| | 235/70R16 106H | BSW |
| | 245/70R16 111HXL | BSW |
| | 255/70R16 111H | BSW |
| | 255/65R16 109H | BSW |
| | 265/70R16 112H | BSW |
| 17 | 275/70R16 114H | BSW |
| | 215/60R17 100HXL | BSW |
| | 215/65R17 99H | BSW |
| | 225/60R17 99H | BSW |
| | 225/65R17 102H | BSW |
| | 235/60R17 106HXL | BSW |
| | 235/65R17 108HXL | BSW |
| | 245/65R17 111HXL | BSW |
| | 245/70R17 110H | BSW |
| | 255/60R17 110VXL | BSW |
| 18 | 255/65R17 110H | BSW |
| | 265/65R17 112H | BSW |
| | 265/70R17 115H | BSW |
| | 275/65R17 115H | BSW |
| | 285/65R17 116H | BSW |
| | 225/55R18 98H | BSW |
| | 225/60R18 100V | BSW |
| | 235/60R18 107VXL | BSW |
| | 235/65R18 110HXL | BSW |
| | 245/60R18 105H | BSW |
| | 255/55R18 109VXL | BSW |
| | 255/60R18 112VXL | BSW |
| 255/70R18 113H | BSW | |
| 265/60R18 110H | BSW | |
| 265/65R18 114H | BSW | |
| 275/65R18 116H | BSW | |
| 285/60R18 120HXL | BSW | |

SPORT SUV

UTQG: 340 A A



Continuous center ribs improve stability of handling and straight performance at high speed.



The narrow groove outside increases the block stiffness and improves handling and steering stability during cornering.



The sipe design improves the ride performance while disperses noise level.

SPORT SUV is premium summer high performance tire with exceptional comfort. Specially designed tread profile enables exceptional high-speed capabilities, superb handling and cornering response on dry and wet road conditions. Modern tread design and special tread compound provides fuel economy as well as durability.

● RIM: 20-22

● SPEED: WXL/YXL

● ASPECT RATIO: 30-55

● SECTION WIDTH: 245-315

SPORTY SUV



Economical



Silence




Wet



Stability



EU LABELLING



| Rim Diameter | Size Description | Sidewall |
|--------------|-------------------|----------|
| 20 | 265/45ZR20 108YXL | BSW |
| | 265/50ZR20 111WXL | BSW |
| | 275/40ZR20 106YXL | BSW |
| | 275/45ZR20 110YXL | BSW |
| | 275/50ZR20 113YXL | BSW |
| | 275/55ZR20 117WXL | BSW |
| | 285/50ZR20 116WXL | BSW |
| | 295/40ZR20 110YXL | BSW |
| | 305/40ZR20 112YXL | BSW |
| 21 | 315/35ZR20 110YXL | BSW |
| | 245/35ZR21 96YXL | BSW |
| | 275/30ZR21 98YXL | BSW |
| | 275/40ZR21 107YXL | BSW |
| | 275/45ZR21 110YXL | BSW |
| | 295/35ZR21 107YXL | BSW |
| | 295/40ZR21 111YXL | BSW |
| | 315/35ZR21 111YXL | BSW |
| | 315/40ZR21 115YXL | BSW |
| 22 | 265/35ZR22 102YXL | BSW |
| | 265/40ZR22 106YXL | BSW |
| | 285/35ZR22 106YXL | BSW |
| | 285/40ZR22 110YXL | BSW |

ECO TRANS

VAN



 Solid shoulder block can improve the tire load ability and prevent uneven wear, ensure the tire endurance performance.

 Prevented stress between blocks by applying square-shaped dimple where a sipe is turned, resulting in better durability

 Application of 3-channel wide grooves reduce hydroplaning and increases performance and safety at high speed

ECO TRANS is a premium tyre for light commercials and vans, unique pattern design and compound gives the higher load carrying capacities, superior handling, durability and ride comfort.

● RIM: 14-17

● SPEED: R/T/Q


● ASPECT RATIO: 60-85

● SECTION WIDTH: 175-235

COMMERCIAL VAN



EU LABELLING




| Rim Diameter | Size Description | Sidewall |
|---------------------|---------------------|----------|
| 14 | 175R14C 99/98R | BSW |
| | 185R14C 102/100S | BSW |
| | 195R14C 106/104S | BSW |
| 15 | 195/70R15C 104/102S | BSW |
| | 195R15C 106/104S | BSW |
| | 205/70R15C 106/104S | BSW |
| | 215/65R15C 104/102T | BSW |
| | 215/70R15C 109/107S | BSW |
| | 225/70R15C 112/110S | BSW |
| 16 | 175/75R16C 101/99S | BSW |
| | 185/75R16C 104/102S | BSW |
| | 195/60R16C 99/97H | BSW |
| | 195/65R16C 104/102T | BSW |
| | 195/75R16C 107/105S | BSW |
| | 195/75R16C 110/108R | BSW |
| | 205/65R16C 107/105T | BSW |
| | 205/75R16C 110/108S | BSW |
| | 205/75R16C 113/111R | BSW |
| | 215/60R16C 103/101T | BSW |
| | 215/65R16C 109/107T | BSW |
| | 215/75R16C 113/111S | BSW |
| | 215/75R16C 116/114R | BSW |
| | 225/65R16C 112/110T | BSW |
| 225/75R16C 121/120R | BSW | |
| 235/65R16C 115/113T | BSW | |
| 235/65R16C 121/119R | BSW | |
| 235/85R16C 120/116Q | BSW | |
| 17 | 215/60R17C 109/107T | BSW |

ECO TERRA A/T

UTQG: 560 A B



 Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.

The wide open shoulder grooves enhance wet grip and provide excellent water & snow evacuation. 

 The wide tread enhance the traction under ice and snow conditions.

ECO TERRA A/T series has excellent performance in snow & ice conditions. The whole design offers efficient water drainage and enhances vehicle performance on both on & off roads. Aggressive blocks on sidewall increase off-road bite and prevent damage from sidewall cut and abrasion.

● RIM: 16-20

● SPEED: T/TXL/HXL

● ASPECT RATIO: 60-75

● SECTION WIDTH: 215-285

ALL TERRAIN





Economical


Silence


Wet


Stability

EU LABELLING



1222/2009 - C1

| Rim Diameter | Size Description | Sidewall |
|--------------|-------------------|----------|
| 16 | P215/70R16 100T | BSW |
| | P225/70R16 103T | BSW |
| | P225/75R16 104T | BSW |
| | P235/70R16 106T | BSW |
| | P245/70R16 111TXL | BSW |
| | P255/70R16 111T | BSW |
| | P265/70R16 112T | BSW |
| 17 | P275/70R16 114T | BSW |
| | P225/60R17 99T | BSW |
| | P225/65R17 102T | BSW |
| | P235/65R17 104T | BSW |
| | P245/65R17 111TXL | BSW |
| | P245/70R17 110T | BSW |
| | P255/65R17 110T | BSW |
| 18 | P265/65R17 112T | BSW |
| | P265/70R17 115T | BSW |
| | P265/60R18 110T | BSW |
| 20 | P285/60R18 116T | BSW |
| | P265/50R20 111HXL | BSW |
| | P285/50R20 116HXL | BSW |

SPORT TERRA M/T

UPCOMING WHEELS 2020

P.O.R



Three main zigzag grooves and aggressive pattern design provides outstanding traction.

The block tread design with multiple-sipes provides outstanding off-road traction and reduces tread damage on off-road condition.

Jointless Nylon band and strong structure design enhances the reliability and durability. Special tread compound and wide footprint delivers excellent braking performance.

MUD TERRAIN

SPORT TERRA M/T series is born for professional off-road conditions. Strong tyre structure brings reliability and durability. The robust design provides excellent traction performance on the various tough road conditions. Pretty shoulder design increases the entertainment of refitted vehicle.

- RIM: 15-18
- SPEED: Q
- ASPECT RATIO: 50-75
- SECTION WIDTH: 225-315

| Rim Diameter | Size Description | Sidewall |
|--------------|----------------------|----------|
| 15 | 31X10.50R15LT 109Q | BSW |
| | 33X12.50R15LT 108Q | BSW |
| 16 | LT225/75R16 115/112Q | BSW |
| | LT245/75R16 120/116Q | BSW |
| | LT265/75R16 123/120Q | BSW |
| | LT285/75R16 126/123Q | BSW |
| | LT305/70R16 124/121Q | BSW |
| | LT315/75R16 127/124Q | BSW |
| 17 | LT265/70R17 121/118Q | BSW |
| | LT285/70R17 121/118Q | BSW |
| | 33X12.50R17LT 120Q | BSW |
| 18 | 35X12.50R17LT 125Q | BSW |
| | 33X12.50R18LT 118Q | BSW |
| | 35X12.50R18LT 123Q | BSW |



TN24 DARKHYPERBLACK POLISHED



TN25 MATT BRONZE



TN25 MATT BRONZE POLISHED



TN25 MATT GRAPHITE



**A Safer Way Forward
-- Tomason**