

# **WINDFORCE**

## **PCR TIRES**



**CATALOGUE 2024**



# INTRODUCTION

WINDFORCE brand was established in 2012, through unremitting team efforts and innovation, WINDFORCE has developed over 1200 tire sizes covering PCR, UHP, SUV, 4X4, VAN, WINTER, ALL SEASON, as well as RACING Tires.

WINDFORCE brand also has over 120 sizes for its TBR Tires with full ranges covering steer, drive, trailer and all position wheel.

In line with the vision of "building a professional tire brand", WINDFORCE has obtained various certificates including ISO9001, China CCC, US DOT, EU E-MARK, EU Regulation 117, Saudi Arabia SASO, Nigeria SONCAP, Uruguay LATU, India BIS, Brazil INMENTRO, etc....

With the spirit of customer first, WINDFORCE has become a reliable brand focusing on quality products, and will continuously enhance its excellent services to all partners by our dedicated sales team.

No adventure without risk, no driving without safeguarding. On the way to the future, WINDFORCE is always around you.

## PATTERN SUMMARY

### SUMMER



01

CATCHFORS H/P



05

CATCHFORS UHP PRO



09

RACING-DRAGON

### ALL SEASON



11

CATCHFORS A/S

### 4X4



15

CATCHFORS H/T



17

CATCHFORS A/T



19

CATCHFORS A/T II



21

CATCHFORS M/T

### COMMERCIAL



23

MILE MAX



25

CATCHFORS MAX



28


TOURING MAX



27

PRIMETOUR

### WINTER



29

SNOWBLAZER



33

SNOWBLAZER UHP



37

SNOWBLAZER MAX



39

ARCTIC POWER



41

ICE-SPIDER



# CATCHFORS H/P

ECO PCR




Comfort



High Performance



Drainage



Silence

UTQG: 420 A A



Four wide circumferential tread grooves and lateral grooves with fine sipes provide efficient water evacuation, outstanding wet performance.



Continuous outside tread blocks enhance excellent performance and precise control when cornering at high speed. The special rib segment design optimize contact pressure distribution, improve road contact area and provide precise control. The serrated groove walls absorb noise and deliver a quieter ride.



Continuous block patterns on shoulder enhance the ride stability at high speed cornering. The rim protector will protect wheels from curb damage.



Special tread compound delivers excellent grip on both dry and wet roads and reduce the rolling resistance to save oil and protect environment.



RANGE: 12-16  
SPEED RATE: T/H/V  
ASPECT RATIO: 45-80  
SECTION WIDTH: 145-235

**ECO-FRIENDLY WITH LOW ROLLING RESISTANCE, LONG LIFE AND GOOD BREAKING PERFORMANCE TIRE FOR PASSENGER CARS**





CATCHFORS H/P

ECO PCR

| Range | Item No.  | Size Description | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                  |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 12    | CHP1201   | 145/70R12 69T    | BLK      | 4.5          | 150           | 509          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1202   | 155/70R12 73T    | BLK      | 4.5          | 157           | 523          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1203   | 165/70R12 77T    | BLK      | 5.0          | 170           | 537          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 69 |
|       | CHP1204   | 175/70R12 80T    | BLK      | 5.0          | 177           | 551          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 69 |
| 13    | CHP1301   | 145/70R13 71T    | BLK      | 4.5          | 150           | 536          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 68 |
|       | CHP1302   | 145/80R13 75T    | BLK      | 4.0          | 146           | 566          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 68 |
|       | CHP1303   | 155/65R13 73T    | BLK      | 5.0          | 157           | 532          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1304   | 155/70R13 75T    | BLK      | 4.5          | 157           | 548          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1305   | 155/80R13 79T    | BLK      | 4.5          | 157           | 578          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1306   | 165/65R13 77T    | BLK      | 5.0          | 170           | 544          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1307   | 165/70R13 79T    | BLK      | 5.0          | 170           | 562          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1308   | 165/80R13 83T    | BLK      | 4.5          | 165           | 594          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1309   | 175/60R13 77H    | BLK      | 5.0          | 177           | 540          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 69 |
|       | CHP1310   | 175/65R13 80T    | BLK      | 5.0          | 177           | 576          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 69 |
|       | CHP1311   | 175/70R13 82T    | BLK      | 5.0          | 189           | 552          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1313   | 175/75R13 84T    | BLK      | 5.0          | 177           | 589          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1312   | 185/70R13 86T    | BLK      | 5.5          | 189           | 590          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
| 14    | CHP1401   | 155/65R14 75H    | BLK      | 4.5          | 154           | 557          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1421   | 165/55R14 72H    | BLK      | 5.0          | 170           | 538          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1402   | 165/60R14 75H    | BLK      | 5.0          | 170           | 554          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1403XL | 165/60R14 79TXL  | BLK      | 5.0          | 170           | 554          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1404   | 165/65R14 79H    | BLK      | 5.0          | 170           | 570          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1405   | 165/70R14 81H    | BLK      | 5.0          | 170           | 588          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1406XL | 165/70R14 85TXL  | BLK      | 5.0          | 170           | 588          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1422   | 175/60R14 79H    | BLK      | 5.0          | 177           | 566          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 69 |
|       | CHP1407   | 175/65R14 82H    | BLK      | 5.0          | 177           | 584          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1408XL | 175/65R14 86TXL  | BLK      | 5.0          | 177           | 584          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1409   | 175/70R14 84H    | BLK      | 5.0          | 177           | 602          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1410XL | 175/70R14 88TXL  | BLK      | 5.0          | 177           | 602          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1423   | 175/75R14 86T    | BLK      | 5.0          | 177           | 618          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1411   | 185/50R14 77V    | BLK      | 6.0          | 194           | 542          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1412   | 185/55R14 80H    | BLK      | 6.0          | 194           | 560          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1413   | 185/60R14 82H    | BLK      | 5.5          | 189           | 578          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1414   | 185/65R14 86H    | BLK      | 5.5          | 189           | 596          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1415   | 185/70R14 88H    | BLK      | 5.5          | 189           | 616          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1416   | 195/60R14 86H    | BLK      | 6.0          | 201           | 590          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1417   | 195/65R14 89H    | BLK      | 6.0          | 201           | 610          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1418   | 195/70R14 91H    | BLK      | 6.0          | 201           | 630          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1419   | 205/60R14 88H    | BLK      | 6.0          | 209           | 602          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1420   | 205/70R14 95H    | BLK      | 6.0          | 209           | 644          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |

CATCHFORS H/P

ECO PCR

| Range | Item No.  | Size Description | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                  |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 15    | CHP1501   | 145/65R15 72T    | BLK      | 4.5          | 150           | 569          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 69 |
|       | CHP1502   | 155/60R15 74T    | BLK      | 5.0          | 157           | 567          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1528   | 165/50R15 72V    | BLK      | 5.0          | 170           | 547          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1503   | 165/60R15 77H    | BLK      | 5.0          | 170           | 579          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1504   | 165/65R15 81H    | BLK      | 5.0          | 170           | 595          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 69 |
|       | CHP1505   | 175/50R15 75H    | BLK      | 5.5          | 182           | 557          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1506   | 175/55R15 77H    | BLK      | 5.5          | 182           | 573          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1507   | 175/60R15 81H    | BLK      | 5.0          | 177           | 591          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1508   | 175/65R15 84H    | BLK      | 5.0          | 177           | 609          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1509   | 185/45R15 75V    | BLK      | 6.0          | 183           | 547          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1510   | 185/55R15 82V    | BLK      | 6.0          | 194           | 585          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1511   | 185/60R15 84H    | BLK      | 5.5          | 189           | 603          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1512XL | 185/60R15 88HXL  | BLK      | 5.5          | 189           | 603          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1513   | 185/65R15 88H    | BLK      | 5.5          | 189           | 621          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1514XL | 185/65R15 92TXL  | BLK      | 5.5          | 189           | 621          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1530   | 195/50R15 82V    | BLK      | 6.0          | 201           | 577          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1527   | 195/55R15 85V    | BLK      | 6.0          | 201           | 595          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1515   | 195/60R15 88H    | BLK      | 6.0          | 201           | 615          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1516   | 195/60R15 88V    | BLK      | 6.0          | 201           | 615          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1517   | 195/65R15 91V    | BLK      | 6.0          | 201           | 635          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1518XL | 195/65R15 95HXL  | BLK      | 6.0          | 201           | 635          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | CHP1529   | 205/55R15 88V    | BLK      | 6.0          | 214           | 607          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1519   | 205/60R15 91V    | BLK      | 6.0          | 209           | 627          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1520   | 205/65R15 94H    | BLK      | 6.0          | 209           | 647          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1521   | 205/65R15 94V    | BLK      | 6.0          | 209           | 647          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1522   | 205/70R15 96H    | BLK      | 6.0          | 209           | 669          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1523   | 215/65R15 96H    | BLK      | 6.5          | 221           | 661          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1524XL | 215/65R15 100HXL | BLK      | 6.5          | 221           | 661          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1525   | 215/70R15 98H    | BLK      | 6.5          | 221           | 683          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1526   | 225/70R15 100H   | BLK      | 6.5          | 228           | 697          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
| 16    | CHP1601   | 175/50R16 77V    | BLK      | 5.5          | 182           | 582          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 69 |
|       | CHP1619   | 175/60R16 86HXL  | BLK      | 5.5          | 176           | 614          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1602   | 185/50R16 81V    | BLK      | 6.0          | 194           | 592          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1617   | 185/55R16 83V    | BLK      | 6.0          | 194           | 610          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1603   | 185/60R16 86H    | BLK      | 5.5          | 189           | 628          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1620   | 195/50R16 84V    | BLK      | 6.0          | 201           | 603          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1618   | 195/55R16 87 V   | BLK      | 6.0          | 201           | 620          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 70 |
|       | CHP1604   | 195/60R16 89H    | BLK      | 6.0          | 201           | 641          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1605   | 205/55R16 91V    | BLK      | 6.5          | 214           | 632          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1606   | 205/60R16 92V    | BLK      | 6.0          | 209           | 652          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1607XL | 205/60R16 96HXL  | BLK      | 6.0          | 209           | 652          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | CHP1608   | 205/65R16 95H    | BLK      | 6.0          | 209           | 672          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1609   | 215/60R16 95V    | BLK      | 6.5          | 221           | 664          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1610XL | 215/60R16 99HXL  | BLK      | 6.5          | 221           | 664          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1611   | 215/65R16 98H    | BLK      | 6.5          | 221           | 686          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1612XL | 215/65R16 102HXL | BLK      | 6.5          | 221           | 686          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | CHP1613   | 225/60R16 98H    | BLK      | 6.5          | 228           | 676          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1614XL | 215/65R16 102HXL | BLK      | 6.5          | 228           | 676          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | CHP1615   | 225/65R16 100H   | BLK      | 6.5          | 228           | 698          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CHP1616   | 235/60R16 100H   | BLK      | 7.0          | 240           | 688          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |



# CATCHFORS UHP PRO

SPORTY PERFORMANCE PCR



Comfort



High Performance



Drainage



Silence



Four wide circumferential tread grooves and lateral grooves with fine sipes provide efficient water evacuation, outstanding wet performance.




Continuous outside tread blocks enhance excellent performance and precise control when cornering at high speed. The special rib segment design optimize contact pressure distribution, improve road contact area and provide precise control. The serrated groove walls absorb noise and deliver a quieter ride.



The state-of-art asymmetric design on the inner and outer sides breaks traditional rules , improves the freedom of tire mounting.



Special tread compound delivers excellent grip on both dry and wet roads and reduce the rolling resistance to save oil and protect environment.



RANGE: 15-21  
SPEED RATE: H/V/W/Y  
ASPECT RATIO: 30-60  
SECTION WIDTH: 185-315

**ULTRA HIGH PERFORMANCE TIRE  
PROVIDES ULTIMATE PERFORMANCE  
DURING HIGH SPEED DRIVE**





CATCHFORS UHP PRO

SPORTY PERFORMANCE PCR

| Range | Item No.  | Size Description  | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|-------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                   |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 15    | CAH1501XL | 195/45R15 82VXL   | BLK      | 6.5          | 195           | 557          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1502   | 205/50R15 86V     | BLK      | 6.5          | 205           | 587          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
| 16    | CAH1601XL | 185/55R16 87VXL   | BLK      | 6.0          | 185           | 610          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1602XL | 195/45R16 84VXL   | BLK      | 6.5          | 195           | 582          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1603XL | 195/55R16 91VXL   | BLK      | 6.0          | 195           | 620          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1604XL | 205/45ZR16 87WXL  | BLK      | 7.0          | 205           | 590          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1605XL | 205/50ZR16 91WXL  | BLK      | 6.5          | 205           | 612          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1606XL | 205/55ZR16 94WXL  | BLK      | 6.5          | 205           | 632          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1607XL | 215/40ZR16 86WXL  | BLK      | 7.5          | 215           | 578          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1608XL | 215/45ZR16 90WXL  | BLK      | 7.5          | 215           | 600          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1609XL | 215/55ZR16 97WXL  | BLK      | 7.0          | 215           | 642          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1610XL | 225/50ZR16 96WXL  | BLK      | 7.0          | 225           | 632          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1611XL | 225/55ZR16 99WXL  | BLK      | 7.0          | 225           | 654          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1701XL | 195/40ZR17 81WXL  | BLK      | 7.0          | 195           | 588          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
| 17    | CAH1702XL | 195/45ZR17 85WXL  | BLK      | 6.5          | 195           | 608          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1703XL | 205/40ZR17 84WXL  | BLK      | 7.5          | 205           | 596          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1704XL | 205/45ZR17 88WXL  | BLK      | 7.0          | 205           | 616          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1705XL | 205/50ZR17 93WXL  | BLK      | 6.5          | 205           | 638          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1706XL | 205/55ZR17 95WXL  | BLK      | 6.5          | 205           | 658          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1707XL | 215/40ZR17 87WXL  | BLK      | 7.5          | 215           | 604          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1708XL | 215/45ZR17 91WXL  | BLK      | 7.0          | 215           | 626          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1709XL | 215/45ZR17 91YXL  | BLK      | 7.0          | 215           | 626          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1710XL | 215/50ZR17 95WXL  | BLK      | 7.5          | 215           | 648          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1711XL | 215/50ZR17 95YXL  | BLK      | 7.5          | 215           | 648          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1712XL | 215/55ZR17 98WXL  | BLK      | 7.0          | 215           | 668          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1713XL | 225/45ZR17 94WXL  | BLK      | 7.5          | 225           | 634          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1714XL | 225/45ZR17 94YXL  | BLK      | 7.5          | 225           | 634          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1715XL | 225/50ZR17 98WXL  | BLK      | 8.0          | 225           | 658          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1716XL | 225/50ZR17 98YXL  | BLK      | 8.0          | 225           | 658          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1717XL | 225/55ZR17 101WXL | BLK      | 7.0          | 225           | 680          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1718XL | 235/45ZR17 97WXL  | BLK      | 7.5          | 235           | 644          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1719XL | 235/45ZR17 97YXL  | BLK      | 7.5          | 235           | 644          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1720XL | 235/50ZR17 100WXL | BLK      | 7.5          | 235           | 668          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1721XL | 235/55ZR17 103WXL | BLK      | 7.5          | 235           | 690          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1722XL | 245/40ZR17 95WXL  | BLK      | 8.5          | 245           | 628          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAH1723XL | 245/45ZR17 99WXL  | BLK      | 8.0          | 245           | 652          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71 |
| 18    | CAH1801XL | 215/35ZR18 84WXL  | BLK      | 7.5          | 215           | 607          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1802XL | 215/40ZR18 89WXL  | BLK      | 7.5          | 215           | 629          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1803XL | 215/45ZR18 93WXL  | BLK      | 7.5          | 215           | 650          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1804XL | 215/45ZR18 93YXL  | BLK      | 7.5          | 215           | 650          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1805   | 215/50ZR18 92W    | BLK      | 7.0          | 215           | 672          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1806XL | 215/55ZR18 99WXL  | BLK      | 7.0          | 215           | 693          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1807XL | 225/35ZR18 87YXL  | BLK      | 8.0          | 225           | 615          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1808XL | 225/40ZR18 92WXL  | BLK      | 8.0          | 225           | 637          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1809XL | 225/40ZR18 92YXL  | BLK      | 8.0          | 225           | 637          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1810XL | 225/45ZR18 95WXL  | BLK      | 7.5          | 225           | 659          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1811XL | 225/45ZR18 95YXL  | BLK      | 7.5          | 225           | 659          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1812XL | 225/50ZR18 99WXL  | BLK      | 7.5          | 225           | 683          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1813XL | 225/55ZR18 102WXL | BLK      | 7.0          | 225           | 705          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1814XL | 235/40ZR18 95WXL  | BLK      | 8.5          | 235           | 645          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1815XL | 235/40ZR18 95YXL  | BLK      | 8.5          | 235           | 645          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1816XL | 235/45ZR18 98WXL  | BLK      | 8.0          | 235           | 667          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1817XL | 235/45ZR18 98YXL  | BLK      | 8.0          | 235           | 667          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1818XL | 235/50ZR18 101WXL | BLK      | 7.5          | 235           | 693          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1819XL | 235/50ZR18 101YXL | BLK      | 7.5          | 235           | 693          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1820XL | 235/55ZR18 104WXL | BLK      | 7.5          | 235           | 715          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1821XL | 235/55ZR18 104YXL | BLK      | 7.5          | 235           | 715          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | CAH1822XL | 245/35ZR18 92YXL  | BLK      | 8.5          | 245           | 629          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAH1823XL | 245/40ZR18 97WXL  | BLK      | 8.5          | 245           | 653          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAH1824XL | 245/40ZR18 97YXL  | BLK      | 8.5          | 245           | 653          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAH1825XL | 245/45ZR18 100WXL | BLK      | 8.0          | 245           | 677          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAH1826XL | 245/45ZR18 100YXL | BLK      | 8.0          | 245           | 677          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAH1827XL | 255/35ZR18 94YXL  | BLK      | 9.0          | 255           | 635          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAH1828XL | 255/40ZR18 99YXL  | BLK      | 9.0          | 255           | 661          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAH1829XL | 255/45ZR18 103WXL | BLK      | 8.5          | 255           | 687          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAH1830XL | 255/55ZR18 109WXL | BLK      | 8.0          | 255           | 737          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAH1831XL | 255/55ZR18 109YXL | BLK      | 8.0          | 255           | 737          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAH1832XL | 265/35ZR18 97YXL  | BLK      | 8.0          | 265           | 643          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAH1833XL | 275/35ZR18 99YXL  | BLK      | 9.5          | 275           | 650          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72 |

CATCHFORS UHP PRO

SPORTY PERFORMANCE PCR

| Range     | Item No.          | Size Description  | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  |  |
|-----------|-------------------|-------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|           |                   |                   |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 19        | CAH1901XL         | 215/35ZR19 85YXL  | BLK      | 7.5          | 215           | 634          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1902XL         | 225/35ZR19 88YXL  | BLK      | 8.0          | 225           | 641          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1903XL         | 225/40ZR19 93WXL  | BLK      | 8.0          | 225           | 663          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1904XL         | 225/40ZR19 93YXL  | BLK      | 8.0          | 225           | 663          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1905XL         | 225/45ZR19 96WXL  | BLK      | 7.5          | 225           | 685          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1906XL         | 225/45ZR19 96YXL  | BLK      | 7.5          | 225           | 685          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1907XL         | 225/55ZR19 103WXL | BLK      | 7.0          | 225           | 732          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1908XL         | 235/35ZR19 91YXL  | BLK      | 8.5          | 235           | 647          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1909XL         | 235/40ZR19 96YXL  | BLK      | 8.5          | 235           | 671          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1910XL         | 235/45ZR19 99YXL  | BLK      | 8.0          | 235           | 695          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1911XL         | 235/50ZR19 103YXL | BLK      | 7.5          | 235           | 719          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1912XL         | 235/55ZR19 105YXL | BLK      | 7.5          | 235           | 741          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1913XL         | 245/35ZR19 93YXL  | BLK      | 8.5          | 245           | 655          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1914XL         | 245/40ZR19 98YXL  | BLK      | 8.5          | 245           | 679          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1915XL         | 245/45ZR19 102YXL | BLK      | 8.0          | 245           | 703          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1916XL         | 245/55ZR19 107WXL | BLK      | 7.5          | 245           | 753          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH1917XL         | 255/30ZR19 91YXL  | BLK      | 9.0          | 255           | 637          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1918XL         | 255/35ZR19 96YXL  | BLK      | 9.0          | 255           | 661          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1919XL         | 255/40ZR19 100YXL | BLK      | 9.0          | 255           | 687          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1920XL         | 255/45ZR19 104YXL | BLK      | 8.5          | 255           | 715          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1921XL         | 255/50ZR19 107WXL | BLK      | 8.0          | 255           | 739          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1922XL         | 255/50ZR19 107YXL | BLK      | 8.0          | 255           | 739          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1923XL         | 255/55ZR19 111WXL | BLK      | 8.0          | 255           | 763          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1924XL         | 265/30ZR19 93YXL  | BLK      | 9.5          | 265           | 643          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1925XL         | 265/50ZR19 110WXL | BLK      | 8.5          | 265           | 749          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1926XL         | 275/30ZR19 96YXL  | BLK      | 9.5          | 275           | 649          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1927XL         | 275/35ZR19 100WXL | BLK      | 9.5          | 275           | 675          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1928XL         | 275/40ZR19 105YXL | BLK      | 9.5          | 275           | 703          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1929XL         | 275/45ZR19 108YXL | BLK      | 9.0          | 275           | 730          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1930           | 275/55ZR19 111W   | BLK      | 8.5          | 275           | 787          | 300/44        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH1931XL         | 285/45ZR19 111YXL | BLK      | 9.5          | 285           | 737          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 73                                                                                  |
| 20        | CAH2001XL         | 195/55R20 95HXL   | BLK      | 7.0          | 195           | 704          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2002XL         | 225/35ZR20 93YXL  | BLK      | 8.0          | 225           | 644          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2003XL         | 235/30ZR20 88YXL  | BLK      | 8.5          | 235           | 650          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2004XL         | 235/45ZR20 100YXL | BLK      | 7.5          | 235           | 720          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2005XL         | 235/55ZR20 105WXL | BLK      | 7.5          | 235           | 766          | 340/50        | C                                                                                   | C                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2006XL         | 245/30ZR20 97YXL  | BLK      | 8.5          | 245           | 657          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2007XL         | 245/35ZR20 95YXL  | BLK      | 8.5          | 245           | 680          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2008XL         | 245/40ZR20 99YXL  | BLK      | 8.5          | 245           | 704          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2009XL         | 245/45ZR20 103YXL | BLK      | 8.0          | 245           | 728          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2010XL         | 245/50ZR20 105YXL | BLK      | 7.5          | 245           | 754          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2011XL         | 255/30ZR20 92YXL  | BLK      | 9.0          | 255           | 662          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2012XL         | 255/35ZR20 102YXL | BLK      | 9.0          | 255           | 686          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2013XL         | 255/45ZR20 105YXL | BLK      | 8.5          | 255           | 738          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2014XL         | 255/50ZR20 109WXL | BLK      | 8.0          | 255           | 764          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2015XL         | 255/50ZR20 109YXL | BLK      | 8.0          | 255           | 764          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2016XL         | 255/55ZR20 110WXL | BLK      | 8.0          | 255           | 789          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2017XL         | 265/45ZR20 108YXL | BLK      | 9.0          | 265           | 746          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2018XL         | 265/50ZR20 111WXL | BLK      | 9.0          | 265           | 774          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2019XL         | 275/30ZR20 97YXL  | BLK      | 9.5          | 275           | 674          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2020XL         | 275/35ZR20 102YXL | BLK      | 9.5          | 275           | 700          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2021XL         | 275/40ZR20 106YXL | BLK      | 9.5          | 275           | 728          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2022XL         | 275/45ZR20 110YXL | BLK      | 9.0          | 275           | 756          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2023XL         | 275/50ZR20 113WXL | BLK      | 8.5          | 275           | 784          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2024XL         | 275/50ZR20 113YXL | BLK      | 8.5          | 275           | 784          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2025XL         | 275/55ZR20 117WXL | BLK      | 8.5          | 275           | 810          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2026XL         | 275/60ZR20 119WXL | BLK      | 8.0          | 275           | 838          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
| CAH2027XL | 285/50ZR20 116WXL | BLK               | 9.0      | 285          | 794           | 340/50       | C             | B                                                                                   | B                                                                                   | 73                                                                                  |                                                                                     |
| CAH2028XL | 295/40ZR20 110YXL | BLK               | 10.0     | 295          | 744           | 340/50       | C             | B                                                                                   | B                                                                                   | 73                                                                                  |                                                                                     |
| CAH2029XL | 305/40ZR20 112YXL | BLK               | 11.0     | 305          | 752           | 340/50       | C             | B                                                                                   | B                                                                                   | 73                                                                                  |                                                                                     |
| CAH2030XL | 315/35ZR20 110YXL | BLK               | 11.0     | 315          | 728           | 340/50       | C             | B                                                                                   | B                                                                                   | 73                                                                                  |                                                                                     |
| 21        | CAH2101XL         | 245/35ZR21 96YXL  | BLK      | 8.5          | 245           | 705          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 71                                                                                  |
|           | CAH2102XL         | 275/30ZR21 98YXL  | BLK      | 9.5          | 275           | 698          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2103XL         | 275/40ZR21 107YXL | BLK      | 9.5          | 275           | 753          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2104XL         | 275/45ZR21 110YXL | BLK      | 9.5          | 275           | 780          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 72                                                                                  |
|           | CAH2105XL         | 295/35ZR21 107YXL | BLK      | 10.5         | 295           | 739          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 73                                                                                  |
|           | CAH2106XL         | 295/40ZR21 111YXL | BLK      | 10.5         | 295           | 769          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 73                                                                                  |
|           | CAH2107XL         | 315/35ZR21 111YXL | BLK      | 11.0         | 315           | 753          | 340/50        | C                                                                                   | B                                                                                   | B                                                                                   | 73                                                                                  |
| CAH2108XL | 315/40ZR21 115YXL | BLK               | 11.0     | 315          | 784           | 340/50       | C             | B                                                                                   | B                                                                                   | 73                                                                                  |                                                                                     |



# RACING-DRAGON

## SPORTY RACE

 Comfort

 High Performance

 Drainage

 Silence

UTQG: 240 A A



The main zigzag grooves and aggressive pattern design provide outstanding traction for plus-sized wheel fitments of SUV.




The sporty pattern design provides a comfortable ultra high performance with quieter ride and longer life.



High void ratio and non-directional asymmetrical pattern offer more evenly tractions and cross rotated driving feature.



Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability.



RANGE: 18  
SPEED RATE: V/W  
ASPECT RATIO: 35-60  
SECTION WIDTH: 235-275

| Range | Item No.  | Size Description  | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|-------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                   |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 18    | RDG1801XL | 235/40ZR18 95WXL  | BLK      | 8.5          | 241           | 645          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | RDG1802XL | 235/45ZR18 98WXL  | BLK      | 8.0          | 240           | 667          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | RDG1803XL | 245/40ZR18 97WXL  | BLK      | 8.5          | 248           | 653          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | RDG1804XL | 245/45ZR18 100WXL | BLK      | 8.0          | 243           | 677          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | RDG1805XL | 255/45ZR18 103WXL | BLK      | 8.5          | 257           | 687          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | RDG1809XL | 255/50R18 106VXL  | BLK      | 8.0          | 262           | 711          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | RDG1806XL | 265/35ZR18 97WXL  | BLK      | 9.5          | 271           | 643          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | RDG1807XL | 265/40ZR18 101WXL | BLK      | 9.0          | 267           | 670          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | RDG1810XL | 265/60R18 114VXL  | BLK      | 8.5          | 272           | 775          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | RDG1808XL | 275/40ZR18 103WXL | BLK      | 9.5          | 278           | 679          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |



# CATCHFORS A/S

ALL SEASON PCR



Comfort




4 Season


M+S



3PMSF \*



Four straight & semizag longitudinal tread grooves deliver the reduced ground resistance to enable a smoother flow over water and snow and wet and ensure a better wet and snow traction performance.



Continuous solid center ribs and lateral tread blocks connected by rib-in-chain enhance steering stability. The application of summer and winter sipes allow the tire to process the nice all season capabilities.



The asymmetric pattern with multi-performance harmony for total balanced all season driving. The open shoulder grooves prevent aquaplaning with excellent wet grip and water evacuation.



The high grip silica compound offers the best snow/wet traction and the lowest rolling resistance.



RANGE: 13-18  
SPEED RATE: T/H/V/W  
ASPECT RATIO: 40-80  
SECTION WIDTH: 155-245

***SUPER ALL SEASON TIRE PROVIDES  
EXCELLENT DRIVING PERFORMANCE  
FOR ALL WEATHER CONDITIONS***





CATCHFORS A/S

ALL SEASONS PCR

| Range | Item No.  | Size Description | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                  |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 13    | CAS1301   | 155/65R13 73T    | BLK      | 5.0          | 157           | 532          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1302   | 155/70R13 75T    | BLK      | 4.5          | 157           | 548          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1303   | 155/80R13 79T    | BLK      | 4.5          | 157           | 578          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1304   | 165/70R13 79T    | BLK      | 5.0          | 170           | 562          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1305   | 175/65R13 80T    | BLK      | 5.0          | 176           | 559          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1306   | 175/70R13 82T    | BLK      | 5.0          | 177           | 576          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
| 14    | CAS1401   | 155/65R14 75H    | BLK      | 4.5          | 154           | 557          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1402   | 165/60R14 75H    | BLK      | 5.0          | 170           | 554          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1403   | 165/65R14 79H    | BLK      | 5.0          | 170           | 570          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1404   | 165/70R14 81H    | BLK      | 5.0          | 170           | 588          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1405   | 175/65R14 82H    | BLK      | 5.0          | 177           | 584          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1406XL | 175/65R14 86TXL  | BLK      | 5.0          | 177           | 584          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1407   | 175/70R14 84H    | BLK      | 5.0          | 177           | 602          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1408XL | 175/70R14 88TXL  | BLK      | 5.0          | 177           | 602          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1409   | 185/60R14 82H    | BLK      | 5.5          | 189           | 578          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1410   | 185/65R14 86H    | BLK      | 5.5          | 189           | 596          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1411   | 185/55R14 80H    | BLK      | 6.0          | 194           | 560          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1412   | 185/70R14 88T    | BLK      | 5.5          | 189           | 616          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
| 15    | CAS1501   | 175/55R15 77H    | BLK      | 5.5          | 182           | 573          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1502   | 175/60R15 81H    | BLK      | 5.0          | 177           | 591          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1503   | 175/65R15 84H    | BLK      | 5.0          | 177           | 609          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1516XL | 175/65R15 88TXL  | BLK      | 5.0          | 177           | 609          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1504   | 185/55R15 82V    | BLK      | 6.0          | 194           | 585          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1505   | 185/60R15 84H    | BLK      | 5.5          | 189           | 603          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1506XL | 185/60R15 88HXL  | BLK      | 5.5          | 189           | 603          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1507   | 185/65R15 88H    | BLK      | 5.5          | 189           | 621          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1513XL | 185/65R15 92TXL  | BLK      | 5.5          | 189           | 621          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | CAS1514   | 195/50R15 82V    | BLK      | 6.0          | 201           | 577          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1515   | 195/55R15 85V    | BLK      | 6.0          | 201           | 595          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1508   | 195/60R15 88H    | BLK      | 6.0          | 201           | 615          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1509   | 195/65R15 91H    | BLK      | 6.0          | 201           | 635          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1510XL | 195/65R15 95HXL  | BLK      | 6.0          | 201           | 635          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1511   | 205/65R15 94H    | BLK      | 6.0          | 209           | 647          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1512XL | 215/65R15 100HXL | BLK      | 6.5          | 221           | 661          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |

CATCHFORS A/S

ALL SEASONS PCR

| Range | Item No.  | Size Description  | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|-------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                   |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 16    | CAS1607XL | 195/45R16 84VXL   | BLK      | 6.5          | 195           | 582          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1608XL | 195/50R16 88VXL   | BLK      | 6.0          | 201           | 602          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1601XL | 195/55R16 91VXL   | BLK      | 6.0          | 190           | 619          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1609XL | 205/45R16 87VXL   | BLK      | 7.0          | 206           | 590          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1602XL | 205/55R16 94VXL   | BLK      | 6.5          | 214           | 632          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1603XL | 205/60R16 96HXL   | BLK      | 6.0          | 209           | 652          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1610XL | 215/45R16 90VXL   | BLK      | 7.5          | 213           | 600          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1604XL | 215/55R16 97VXL   | BLK      | 7.0          | 226           | 642          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1605XL | 215/60R16 99HXL   | BLK      | 6.5          | 221           | 664          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1606XL | 215/65R16 102HXL  | BLK      | 6.5          | 221           | 686          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1611   | 215/70R16 100H    | BLK      | 6.5          | 221           | 708          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1612XL | 225/55R16 99VXL   | BLK      | 7.0          | 233           | 680          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
| 17    | CAS1705XL | 205/45ZR17 88WXL  | BLK      | 7.0          | 206           | 616          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1706XL | 205/50ZR17 93WXL  | BLK      | 6.5          | 214           | 638          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1707XL | 215/45ZR17 91WXL  | BLK      | 7.0          | 213           | 626          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1708XL | 215/50ZR17 95WXL  | BLK      | 7.5          | 226           | 648          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1709XL | 215/55ZR17 98WXL  | BLK      | 7.0          | 226           | 668          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1710XL | 215/60R17 100VXL  | BLK      | 6.5          | 221           | 690          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1701XL | 225/45R17 94WXL   | BLK      | 7.5          | 225           | 637          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1702XL | 225/50R17 98WXL   | BLK      | 8.0          | 233           | 658          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1703XL | 225/55R17 101WXL  | BLK      | 7.0          | 233           | 680          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1711XL | 225/60R17 103VXL  | BLK      | 6.5          | 228           | 702          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1712XL | 225/65R17 106VXL  | BLK      | 6.5          | 228           | 724          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1713XL | 235/45ZR17 97WXL  | BLK      | 7.5          | 236           | 644          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
| 18    | CAS1704XL | 235/55R17 103WXL  | BLK      | 7.5          | 245           | 690          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1714XL | 235/65R17 108VXL  | BLK      | 7.0          | 240           | 738          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1801XL | 225/40ZR18 92WXL  | BLK      | 8.0          | 230           | 637          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1802XL | 225/45ZR18 95WXL  | BLK      | 7.5          | 225           | 659          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1803   | 225/55R18 98V     | BLK      | 7.0          | 233           | 705          | 300/44        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1804XL | 235/50ZR18 101WXL | BLK      | 7.5          | 245           | 693          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1805XL | 245/40ZR18 97WXL  | BLK      | 8.5          | 248           | 653          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | CAS1806XL | 245/45ZR18 100WXL | BLK      | 8.0          | 243           | 677          | 340/50        | D                                                                                   | B                                                                                   | B                                                                                   | 72 |



# CATCHFORS H/T

CITY SUV



UTQG: 420 A A



Four wide circumferential tread grooves deliver the ride stability and offer excellent performance on wet conditions. Improved grooves and bead profile design offer better ride stability, endurance and handling performance.



The open shoulder grooves prevent aquaplaning with enhanced wet grip performance and provide excellent water evacuation. Continuous tread blocks on both shoulder give great support to enhance the ride stability when cornering.



Variable pitch pattern and solid center ribs improve the ride stability, reduce the noise and deliver a comfortable ride.



High-density sipes with special compound deliver a smooth ride and improve traction on dry and wet roads. Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability.



RANGE: 16-18  
SPEED RATE: H/V  
ASPECT RATIO: 60-70  
SECTION WIDTH: 215-285

| Range | Item No.  | Size Description | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|-----------|------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
| 16    | CFH1601   | 215/70R16 100H   | BLK      | 6.5          | 221           | 708          | 300/44        | D | B | B | 71 |
|       | CFH1602XL | 225/70R16 107HXL | BLK      | 6.5          | 228           | 722          | 340/50        | D | B | B | 72 |
|       | CFH1603   | 235/70R16 106H   | BLK      | 7.0          | 240           | 736          | 300/44        | D | B | B | 71 |
|       | CFH1604XL | 245/70R16 111HXL | BLK      | 7.0          | 248           | 750          | 340/50        | D | B | B | 72 |
|       | CFH1605   | 255/65R16 109H   | BLK      | 7.5          | 262           | 737          | 300/44        | D | B | B | 72 |
|       | CFH1606   | 255/70R16 111H   | BLK      | 7.5          | 260           | 764          | 300/44        | D | B | B | 72 |
|       | CFH1607   | 265/70R16 112H   | BLK      | 8.0          | 272           | 778          | 300/44        | D | B | B | 72 |
|       | CFH1608   | 275/70R16 114H   | BLK      | 8.0          | 279           | 792          | 300/44        | D | B | B | 72 |
| 17    | CFH1701XL | 215/60R17 100VXL | BLK      | 6.5          | 221           | 690          | 340/50        | D | B | B | 72 |
|       | CFH1702   | 215/65R17 99H    | BLK      | 6.5          | 221           | 710          | 300/44        | D | B | B | 71 |
|       | CFH1703XL | 225/60R17 103VXL | BLK      | 6.5          | 228           | 702          | 340/50        | D | B | B | 72 |
|       | CFH1704   | 225/65R17 102H   | BLK      | 6.5          | 228           | 724          | 300/44        | D | B | B | 71 |
|       | CFH1705XL | 235/60R17 106VXL | BLK      | 7.0          | 240           | 714          | 340/50        | D | B | B | 72 |
|       | CFH1706XL | 235/65R17 108HXL | BLK      | 7.0          | 240           | 738          | 340/50        | D | B | B | 72 |
|       | CFH1707XL | 245/65R17 111HXL | BLK      | 7.0          | 248           | 750          | 340/50        | D | B | B | 72 |
|       | CFH1708   | 245/70R17 110H   | BLK      | 7.0          | 248           | 776          | 300/44        | D | B | B | 71 |
|       | CFH1709XL | 255/60R17 110VXL | BLK      | 7.5          | 260           | 738          | 340/50        | D | B | B | 72 |
|       | CFH1710   | 255/65R17 110H   | BLK      | 7.5          | 260           | 764          | 300/44        | D | B | B | 72 |
|       | CFH1711   | 265/65R17 112H   | BLK      | 8.0          | 272           | 776          | 300/44        | D | B | B | 72 |
|       | CFH1712   | 265/70R17 115H   | BLK      | 8.0          | 272           | 804          | 300/44        | D | B | B | 72 |
|       | CFH1713   | 275/65R17 115H   | BLK      | 8.0          | 279           | 791          | 300/44        | D | B | B | 72 |
|       | CFH1714   | 285/65R17 116H   | BLK      | 8.5          | 292           | 802          | 300/44        | D | B | B | 74 |
| 18    | CFH1801XL | 225/60R18 104VXL | BLK      | 6.5          | 228           | 727          | 340/50        | D | B | B | 72 |
|       | CFH1802XL | 235/60R18 107VXL | BLK      | 7.0          | 240           | 739          | 340/50        | D | B | B | 72 |
|       | CFH1803XL | 235/65R18 110HXL | BLK      | 7.0          | 240           | 763          | 340/50        | D | B | B | 72 |
|       | CFH1804   | 245/60R18 105H   | BLK      | 7.0          | 248           | 751          | 300/44        | D | B | B | 71 |
|       | CFH1805XL | 255/55R18 109VXL | BLK      | 8.0          | 265           | 737          | 340/50        | D | B | B | 72 |
|       | CFH1806XL | 255/60R18 112VXL | BLK      | 7.5          | 257           | 763          | 340/50        | D | B | B | 72 |
|       | CFH1807   | 255/70R18 113H   | BLK      | 7.5          | 260           | 815          | 300/44        | D | B | B | 72 |
|       | CFH1808   | 265/60R18 110H   | BLK      | 8.0          | 272           | 775          | 300/44        | D | B | B | 72 |
|       | CFH1809   | 265/65R18 114H   | BLK      | 8.0          | 272           | 801          | 300/44        | D | B | B | 72 |
|       | CFH1810   | 265/70R18 116H   | BLK      | 8.0          | 272           | 827          | 300/44        | D | B | B | 72 |
|       | CFH1811   | 275/65R18 116H   | BLK      | 8.0          | 279           | 815          | 300/44        | D | B | B | 72 |
|       | CFH1812XL | 285/60R18 120HXL | BLK      | 8.5          | 290           | 802          | 340/50        | D | B | B | 74 |



# CATCHFORS A/T

## ALL TERRAIN



Only for P series

UTQG: 480 A B



Four main zigzag grooves and rough lateral blocks provide excellent traction on all kinds of road conditions.



The open shoulder grooves prevent aquaplaning with enhanced wet grip performance and provide excellent water evacuation. The white letter styling provide a artistic image.



The block tread design with multiple-sipes provide outstanding off-road traction and reduce tread damage on off-road condition.



Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability. Special tread compound and wide footprint enhance tread life and deliver excellent braking on wet and dry roads.



RANGE: 15-20  
SPEED RATE: T/R/S  
ASPECT RATIO: 55-85  
SECTION WIDTH: 185-285

| Range | Item No.  | Size Description  | Sidewall | Standard Rim | Section Width | O.A. Diameter | Max. Pressure |   |   |   | dB |
|-------|-----------|-------------------|----------|--------------|---------------|---------------|---------------|---|---|---|----|
|       |           |                   |          |              | (mm)          | (mm)          | (kpa/psi)     |   |   |   |    |
| 15    | CFP1502   | P205/75R15 97T    | OWL      | 5.5          | 203           | 689           | 300/44        | D | C | B | 71 |
|       | CFP1503   | P215/75R15 100T   | OWL      | 6.0          | 216           | 703           | 300/44        | D | C | B | 71 |
|       | CFP1504   | P225/75R15 102T   | OWL      | 6.0          | 223           | 719           | 300/44        | D | C | B | 71 |
|       | CFP1501XL | P235/75R15 109SXL | OWL      | 6.5          | 235           | 733           | 340/50        | D | C | B | 72 |
|       | CFP1506   | * P255/70R15 110T | OWL      | 7.5          | 260           | 739           | 300/44        | D | C | B | 71 |
|       | CFP1505   | P265/70R15 112T   | OWL      | 8.0          | 272           | 752           | 300/44        | D | B | B | 72 |
| 16    | CFP1601   | P215/70R16 100T   | BLK      | 6.5          | 221           | 708           | 300/44        | D | C | B | 71 |
|       | CFP1602   | P225/70R16 103T   | OWL      | 6.5          | 228           | 722           | 300/44        | D | C | B | 71 |
|       | CFP1603   | P235/70R16 106T   | OWL      | 7.0          | 240           | 736           | 300/44        | D | C | B | 71 |
|       | CFP1604   | P245/70R16 107T   | OWL      | 7.0          | 248           | 750           | 300/44        | D | C | B | 71 |
|       | CFP1605XL | P245/70R16 111SXL | OWL      | 7.0          | 248           | 750           | 340/50        | D | C | B | 72 |
|       | CFP1606   | * P245/75R16 111T | OWL      | 7.0          | 248           | 774           | 300/44        | D | C | B | 71 |
|       | CFP1607   | P255/70R16 111T   | OWL      | 7.5          | 260           | 764           | 300/44        | D | B | B | 72 |
|       | CFP1608   | P265/70R16 112T   | OWL      | 8.0          | 272           | 778           | 300/44        | D | B | B | 72 |
|       | CFP1609   | P275/70R16 114T   | OWL      | 8.0          | 279           | 792           | 300/44        | D | B | B | 72 |
|       | CFP1701   | * P225/65R17 102T | OWL      | 6.5          | 228           | 724           | 300/44        | D | C | B | 71 |
| 17    | CFP1702   | P235/65R17 104T   | BLK      | 7.0          | 240           | 738           | 300/44        | D | C | B | 71 |
|       | CFP1703   | P245/65R17 107T   | BLK      | 7.0          | 248           | 750           | 300/44        | D | C | B | 71 |
|       | CFP1704   | * P245/70R17 110T | OWL      | 7.0          | 248           | 776           | 300/44        | D | C | B | 71 |
|       | CFP1705   | P255/65R17 110T   | OWL      | 7.5          | 259           | 762           | 300/44        | D | B | B | 72 |
|       | CFP1706   | P265/65R17 112T   | OWL      | 7.0          | 272           | 776           | 300/44        | D | B | B | 72 |
|       | CFP1707   | P265/70R17 115T   | OWL      | 8.0          | 272           | 804           | 300/44        | D | B | B | 72 |
|       | CFP1708   | P275/65R17 115T   | OWL      | 8.0          | 279           | 791           | 300/44        | D | B | B | 72 |
| 20    | CFP2001XL | P275/55R20 117TXL | BLK      | 8.5          | 284           | 810           | 340/50        | D | B | B | 73 |
|       | CFP2002XL | P275/60R20 119TXL | BLK      | 8.0          | 279           | 836           | 340/50        | D | B | B | 73 |

| Range | Item No. | Size Description       | Sidewall | Standard Rim | Section Width | O.A. Diameter | Max. Pressure |   |   |   | dB |
|-------|----------|------------------------|----------|--------------|---------------|---------------|---------------|---|---|---|----|
|       |          |                        |          |              | (mm)          | (mm)          | (kpa/psi)     |   |   |   |    |
| 15    | CFT1501  | LT235/75R15 C 104/101S | OWL      | 6.5          | 233           | 733           | 350/51        | D | C | B | 72 |
|       | CFT1502  | LT31X10.50R15 C 109S   | OWL      | 8.5          | 268           | 775           | 350/51        | D | C | B | 72 |
|       | CFT1505  | 215/70R15C C 109/107R  | BLK      | 6.5          | 221           | 683           | 450/65        | D | C | B | 72 |
|       | CFT1503  | 215R15C C 112/110S     | BLK      | 6.0          | 218           | 724           | 375/55        | D | C | B | 72 |
|       | CFT1504  | 245/75R15C C 109/107S  | BLK      | 7.0          | 248           | 749           | 375/55        | D | C | B | 72 |
|       | CFT1506  | 255/70R15C C 112/110S  | BLK      | 7.5          | 260           | 737           | 375/55        | D | C | B | 72 |
| 16    | CFT1608  | 185/75R16C D 104/102S  | BLK      | 5.0          | 184           | 684           | 475/69        | D | C | B | 72 |
|       | CFT1607  | 205R16C C 110/108S     | BLK      | 5.5          | 200           | 738           | 375/55        | D | C | B | 72 |
|       | CFT1601  | LT215/85R16 E 115/112S | OWL      | 6.0          | 216           | 772           | 550/80        | D | C | B | 72 |
|       | CFT1602  | LT225/75R16 E 115/112S | OWL      | 6.0          | 223           | 744           | 550/80        | D | C | B | 72 |
|       | CFT1603  | LT235/85R16 E 120/116S | BLK      | 6.5          | 235           | 806           | 550/80        | D | C | B | 72 |
|       | CFT1604  | LT245/75R16 E 120/116S | OWL      | 7.0          | 248           | 774           | 550/80        | D | C | B | 72 |
|       | CFT1605  | LT265/75R16 E 123/120S | OWL      | 7.5          | 267           | 804           | 550/80        | - | - | - | -  |
|       | CFT1606  | LT285/75R16 D 122/119S | OWL      | 8.0          | 286           | 834           | 450/65        | - | - | - | -  |
| 17    | CFT1701  | LT245/75R17 E 121/118S | OWL      | 7.0          | 248           | 800           | 550/80        | D | C | B | 72 |
|       | CFT1702  | LT265/70R17 E 121/118S | OWL      | 8.0          | 272           | 804           | 550/80        | D | C | B | 72 |
| 18    | CFT1801  | LT275/65R18 E 123/120S | BLK      | 8.0          | 279           | 813           | 550/80        | - | - | - | -  |
|       | CFT1802  | LT275/70R18 E 125/122S | BLK      | 8.0          | 279           | 843           | 550/80        | - | - | - | -  |



# CATCHFORS A/T II

ALL TERRAIN



Only for P series

UTQG: 480 A B



Four main zigzag grooves and rough lateral blocks provide excellent traction on all kinds of road conditions.



The open shoulder grooves prevent aquaplaning with enhanced wet grip performance and provide excellent water evacuation. The white letter styling provide a artistic image.



The block tread design with multiplesipes provide outstanding off-road traction and reduce tread damage on off-road condition.



Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability. Special tread compound and wide footprint enhance tread life and deliver excellent braking on wet and dry roads.



RANGE: 15-20  
SPEED RATE: S/R/T/H  
ASPECT RATIO: 50-85  
SECTION WIDTH: 215-325

| Range | Item No. | Size Description       | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|----------|------------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
|       |          |                        |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |    |
| 15    | CFA1501  | 31X10.50R15LT C 109S   | RWL      | 8.5          | 268           | 775          | 350/51        | D | B | B | 72 |
|       | CFA1502  | 32X11.50R15LT C 113R   | RWL      | 9.0          | 292           | 813          | 350/51        | D | B | B | 72 |
|       | CFA1503  | 33X12.50R15LT C 108R   | RWL      | 10.0         | 320           | 838          | 350/51        | D | B | B | 72 |
|       | CFA1504  | 35X12.50R15LT C 113R   | RWL      | 10.0         | 326           | 890          | 350/51        | D | B | B | 72 |
|       | CFA1505  | LT215/75R15 C 100/97R  | RWL      | 6.0          | 216           | 703          | 340/50        | D | B | B | 71 |
|       | CFA1506  | LT235/75R15 C 104/101R | RWL      | 6.5          | 235           | 733          | 340/50        | D | B | B | 71 |
| 16    | CFA1609  | LT215/85R16 E 115/112R | RWL      | 6.0          | 216           | 772          | 550/80        | D | B | B | 72 |
|       | CFA1607  | LT225/75R16 E 115/112R | RWL      | 6.0          | 223           | 744          | 550/80        | D | B | B | 72 |
|       | CFA1610  | LT235/85R16 E 120/116R | RWL      | 6.5          | 235           | 806          | 550/80        | D | B | B | 72 |
|       | CFA1601  | LT245/70R16 D 113/110S | RWL      | 7.0          | 248           | 750          | 450/65        | D | B | B | 72 |
|       | CFA1608  | LT245/75R16 E 120/116R | RWL      | 7.0          | 248           | 774          | 550/80        | D | B | B | 72 |
|       | CFA1602  | LT265/70R16 E 121/118R | RWL      | 8.0          | 272           | 778          | 550/80        | D | B | B | 72 |
|       | CFA1603  | LT265/75R16 E 123/120R | RWL      | 7.5          | 267           | 804          | 550/80        | - | - | - | -  |
|       | CFA1604  | LT285/75R16 E 126/123R | RWL      | 8.0          | 286           | 834          | 550/80        | - | - | - | -  |
|       | CFA1605  | LT305/70R16 E 124/121R | RWL      | 9.0          | 310           | 838          | 550/80        | - | - | - | -  |
|       | CFA1606  | LT315/75R16 E 127/124R | RWL      | 8.5          | 326           | 886          | 550/80        | - | - | - | -  |
| 17    | CFA1707  | 33X12.50R17LT D 117R   | RWL      | 10.0         | 320           | 838          | 450/65        | D | B | B | 72 |
|       | CFA1708  | 35X12.50R17LT D 121R   | RWL      | 10.0         | 326           | 890          | 450/65        | D | B | B | 72 |
|       | CFA1701  | LT245/65R17 D 110/108S | RWL      | 7.0          | 248           | 750          | 450/65        | D | B | B | 72 |
|       | CFA1702  | LT245/70R17 E 119/116R | RWL      | 7.0          | 248           | 776          | 550/80        | D | B | B | 72 |
|       | CFA1703  | LT245/75R17 E 121/118R | RWL      | 7.0          | 248           | 800          | 550/80        | D | B | B | 72 |
|       | CFA1704  | LT265/65R17 E 120/117S | RWL      | 7.0          | 272           | 776          | 550/80        | D | B | B | 72 |
|       | CFA1705  | LT265/70R17 E 121/118R | RWL      | 8.0          | 272           | 804          | 550/80        | D | B | B | 72 |
|       | CFA1706  | LT285/70R17 E 121/118R | RWL      | 8.5          | 284           | 831          | 550/80        | D | B | B | 72 |
|       | CFA1805  | 33X12.50R18LT E 118R   | RWL      | 10.0         | 320           | 838          | 550/80        | D | B | B | 72 |
|       | CFA1806  | 35X12.50R18LT E 123R   | RWL      | 10.0         | 320           | 890          | 550/80        | D | B | B | 72 |
| 18    | CFA1801  | LT265/60R18 E 119/116S | RWL      | 8.0          | 272           | 775          | 550/80        | D | B | B | 72 |
|       | CFA1802  | LT265/65R18 E 122/119R | RWL      | 8.0          | 272           | 801          | 550/80        | D | B | B | 72 |
|       | CFA1803  | LT275/65R18 E 123/120R | RWL      | 8.0          | 279           | 813          | 550/80        | - | - | - | -  |
|       | CFA1804  | LT275/70R18 E 125/122R | RWL      | 8.0          | 279           | 843          | 550/80        | - | - | - | -  |
|       | CFA2001  | LT265/60R20 E 121/118S | BLK      | 8.0          | 272           | 826          | 550/80        | D | B | B | 72 |
| 20    | CFA2005  | LT275/55R20 E 120/117S | BLK      | 8.5          | 284           | 810          | 550/80        | D | B | B | 72 |
|       | CFA2006  | LT275/60R20 E 123/120S | BLK      | 8.0          | 279           | 836          | 550/80        | - | - | - | -  |
|       | CFA2002  | LT275/65R20 E 126/123R | BLK      | 8.0          | 279           | 866          | 550/80        | - | - | - | -  |

| Range | Item No.  | Size Description  | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|-----------|-------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
|       |           |                   |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |    |
| 16    | CFA1611   | P265/70R16 112T   | RWL      | 8.0          | 272           | 778          | 300/44        | D | B | B | 72 |
|       | CFA1612   | P265/75R16 116T   | RWL      | 7.5          | 267           | 804          | 300/44        | D | B | B | 72 |
| 17    | CFA1709   | P265/65R17 112T   | RWL      | 7.0          | 272           | 776          | 300/44        | D | B | B | 72 |
|       | CFA1710   | P265/70R17 115T   | RWL      | 8.0          | 272           | 804          | 300/44        | D | B | B | 72 |
| 18    | CFA1807XL | P265/60R18 114TXL | RWL      | 8.0          | 272           | 775          | 340/50        | D | B | B | 73 |
|       | CFA1808XL | P265/65R18 116TXL | RWL      | 8.0          | 272           | 801          | 340/50        | D | B | B | 73 |
| 20    | CFA2003XL | P265/50R20 111HXL | RWL      | 9.0          | 277           | 774          | 340/50        | D | B | B | 73 |
|       | CFA2004XL | P265/55R20 115HXL | BLK      | 8.5          | 274           | 800          | 340/50        | D | B | B | 73 |
|       | CFA2007XL | P275/55R20 117HXL | RWL      | 8.5          | 284           | 810          | 340/50        | - | - | - | -  |
|       | CFA2008XL | P275/60R20 119HXL | RWL      | 8.0          | 279           | 836          | 340/50        | - | - | - | -  |



# CATCHFORS M/T

## MUD TERRAIN



Three main zigzag grooves and aggressive pattern design provide outstanding traction on all kinds of road conditions.



The block tread design with multiplesipes provide outstanding off-road traction and reduce tread damageon off-road condition. Special casing profile and solid shoulder pattern enhance the max traction and cornering performance.



High void ratio and open shoulder offer excellent resistance to aquaplaning and self-cleaning performance.



Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability. Special tread compound and wide footprint enhance tread life and deliver excellent braking on wet and dry roads.



RANGE: 15-18  
SPEED RATE: Q  
ASPECT RATIO: 50-85  
SECTION WIDTH: 235-330

| Range | Item No. | Size Description       | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   |   |
|-------|----------|------------------------|----------|--------------|---------------|--------------|---------------|---|---|---|---|
|       |          |                        |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |   |
| 15    | CFM1501  | LT31X10.50R15 C 109Q   | BLK      | 8.5          | 268           | 775          | 350/51        | - | - | - | - |
|       | CFM1502  | LT33X12.50R15 C 108Q   | BLK      | 10.0         | 320           | 838          | 350/51        | - | - | - | - |
|       | CFM1503  | LT35X12.50R15 C 113Q   | BLK      | 10.0         | 326           | 890          | 350/51        | - | - | - | - |
| 16    | CFM1601  | LT235/85R16 E 120/116Q | BLK      | 6.5          | 235           | 806          | 550/80        | - | - | - | - |
|       | CFM1602  | LT245/75R16 E 120/116Q | BLK      | 7.0          | 248           | 774          | 550/80        | - | - | - | - |
|       | CFM1603  | LT265/75R16 E 123/120Q | BLK      | 7.5          | 267           | 804          | 550/80        | - | - | - | - |
|       | CFM1604  | LT285/75R16 E 126/123Q | BLK      | 8.0          | 286           | 834          | 550/80        | - | - | - | - |
|       | CFM1605  | LT305/70R16 E 124/121Q | BLK      | 9.0          | 310           | 838          | 550/80        | - | - | - | - |
|       | CFM1606  | LT315/75R16 E 127/124Q | BLK      | 8.5          | 326           | 886          | 550/80        | - | - | - | - |
| 17    | CFM1701  | LT265/70R17 E 121/118Q | BLK      | 8.0          | 272           | 804          | 550/80        | - | - | - | - |
|       | CFM1702  | LT285/70R17 D 121/118Q | BLK      | 8.5          | 284           | 831          | 450/65        | - | - | - | - |
|       | CFM1705  | LT33X12.50R17 E 117Q   | BLK      | 10.0         | 320           | 838          | 550/80        | - | - | - | - |
|       | CFM1703  | LT35X12.50R17 E 121Q   | BLK      | 10.0         | 326           | 890          | 550/80        | - | - | - | - |
| 18    | CFM1704  | LT37X12.50R17 E 124Q   | BLK      | 11.0         | 330           | 940          | 550/80        | - | - | - | - |
|       | CFM1801  | LT33X12.50R18 E 118Q   | BLK      | 10.0         | 320           | 838          | 550/80        | - | - | - | - |
|       | CFM1802  | LT35X12.50R18 E 123Q   | BLK      | 10.0         | 326           | 890          | 550/80        | - | - | - | - |



# MILE MAX

## COMMERCIAL VAN





Three main zigzag grooves combined with lateral blocks provide excellent ride stability and great traction on all kinds of road conditions.



Continuous tread patterns on shoulder and solid shoulder ribs provide responsive handling and even wear.



Variable pitch patterns and multiknife-cut tread pattern reduce vibration to offer the comfort and quiet ride.



Reinforced structure and special abrasion-resistant tread compound deliver extra puncture resistance and load bearing capability with more mileage.



RANGE: 12-16  
SPEED RATE: Q/R/S/T  
ASPECT RATIO: 60-75  
SECTION WIDTH: 145-235

| Range | Item No. | Size Description    | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|----------|---------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
|       |          |                     |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |    |
| 12    | MMC1202  | 145R12C 86/84Q      | BLK      | 4.0          | 145           | 537          | 450/65        | C | B | B | 72 |
|       | MMC1201  | 155R12C 88/86Q      | BLK      | 4.5          | 157           | 550          | 450/65        | C | B | B | 72 |
|       | MMC1302  | 155R13C 88/86Q      | BLK      | 4.5          | 157           | 578          | 375/54        | C | B | B | 72 |
| 13    | MMC1301  | 155R13C 90/88Q      | BLK      | 4.5          | 157           | 578          | 450/65        | C | B | B | 72 |
|       | MMC1303  | 165R13C 91/89R      | BLK      | 4.5          | 165           | 594          | 450/65        | C | B | B | 72 |
|       | MMC1304  | 175R13C 97/95R      | BLK      | 5.0          | 177           | 610          | 450/65        | C | B | B | 72 |
| 14    | MMC1401  | 165/70R14C 89/87R   | BLK      | 5.0          | 170           | 588          | 375/54        | C | B | B | 72 |
|       | MMC1408  | 165R14C 96/95R      | BLK      | 4.5          | 165           | 618          | 450/65        | C | B | B | 72 |
|       | MMC1402  | 175/65R14C 90/88T   | BLK      | 5.0          | 177           | 584          | 375/54        | C | B | B | 72 |
|       | MMC1405  | 175/70R14C 95/93S   | BLK      | 5.0          | 177           | 602          | 375/54        | C | B | B | 72 |
|       | MMC1407  | 175R14C 99/98R      | BLK      | 5.0          | 178           | 634          | 450/65        | C | B | B | 72 |
|       | MMC1403  | 185R14C 102/100R    | BLK      | 5.5          | 188           | 650          | 450/65        | C | B | B | 72 |
|       | MMC1404  | 195R14C 106/104R    | BLK      | 5.5          | 198           | 666          | 450/65        | C | B | B | 72 |
|       | MMC1406  | 205R14C 109/107R    | BLK      | 6.0          | 208           | 682          | 450/65        | C | B | B | 72 |
| 15    | MMC1501  | 195R15C 106/104R    | BLK      | 5.5          | 198           | 693          | 450/65        | C | B | B | 72 |
|       | MMC1502  | 195/70R15C 104/102R | BLK      | 5.5          | 201           | 655          | 450/65        | C | B | B | 72 |
|       | MMC1503  | 205/70R15C 106/104R | BLK      | 6.0          | 209           | 669          | 450/65        | C | B | B | 72 |
|       | MMC1504  | 215/65R15C 104/102R | BLK      | 6.5          | 221           | 661          | 450/65        | C | B | B | 72 |
|       | MMC1505  | 215/70R15C 109/107R | BLK      | 6.5          | 221           | 683          | 450/65        | C | B | B | 72 |
|       | MMC1506  | 225/70R15C 112/110R | BLK      | 6.5          | 228           | 697          | 450/65        | C | B | B | 72 |
| 16    | MMC1601  | 175/75R16C 101/99R  | BLK      | 5.0          | 175           | 668          | 475/69        | C | B | B | 72 |
|       | MMC1602  | 185/75R16C 104/102R | BLK      | 5.0          | 184           | 684          | 475/69        | C | B | B | 72 |
|       | MMC1603  | 195/60R16C 99/97T   | BLK      | 6.0          | 201           | 640          | 475/69        | C | B | B | 72 |
|       | MMC1604  | 195/65R16C 104/102R | BLK      | 6.0          | 201           | 660          | 475/69        | C | B | B | 72 |
|       | MMC1605  | 195/75R16C 107/105R | BLK      | 5.5          | 196           | 698          | 475/69        | C | B | B | 72 |
|       | MMC1606  | 205/65R16C 107/105T | BLK      | 6.0          | 209           | 672          | 475/69        | C | B | B | 72 |
|       | MMC1607  | 205/75R16C 110/108R | BLK      | 5.5          | 203           | 714          | 475/69        | C | B | B | 72 |
|       | MMC1608  | 215/60R16C 103/101T | BLK      | 6.5          | 221           | 664          | 475/69        | C | B | B | 72 |
|       | MMC1609  | 215/65R16C 109/107T | BLK      | 6.5          | 221           | 686          | 475/69        | C | B | B | 72 |
|       | MMC1610  | 215/75R16C 113/111R | BLK      | 6.0          | 216           | 728          | 475/69        | C | B | B | 72 |
|       | MMC1611  | 225/65R16C 112/110T | BLK      | 6.5          | 228           | 698          | 475/69        | C | B | B | 72 |
|       | MMC1612  | 235/65R16C 115/113R | BLK      | 7.0          | 240           | 712          | 475/69        | C | B | B | 72 |



# CATCHFORS MAX

## COMMERCIAL VAN



Multi-sipe design provide good handling and braking performance.



Tread block design improves grip performance.



Zigzag main grooves increased tread rigidity, good prevention of irregular wear under high-load operation.



3D shoulder design provide good traction and braking performance on tough road conditions. ALL Season Design provide excellent performance across summer and winter season.



RANGE: 16  
SPEED RATE: R  
ASPECT RATIO: 75  
SECTION WIDTH: 185-195

| Range | Item No.        | Size Description    | Sidewall | Standard Rim | Section Width | O.A. Diameter | Max. Pressure |   |   |   | dB |
|-------|-----------------|---------------------|----------|--------------|---------------|---------------|---------------|---|---|---|----|
|       |                 |                     |          |              | (mm)          | (mm)          | (kpa/psi)     |   |   |   |    |
| 16    | CATCHFORSMAX001 | 185/75R16C 104/102R | BLK      | 5.0          | 184           | 684           | 475/69        | C | A | B | 72 |
|       | CATCHFORSMAX002 | 195/75R16C 107/105R | BLK      | 5.5          | 196           | 698           | 475/69        | C | A | B | 72 |



PRIMETOUR



UTQG: 420 A B

| Range | Item No. | Size Description | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|----------|------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
|       |          |                  |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |    |
| 14    | PTP1401  | P195/75R14 92S   | WSW      | 5.0          | 196           | 648          | 300/44        | - | - | - | -  |
|       | PTP1402  | P205/75R14 95S   | WSW      | 5.5          | 203           | 664          | 300/44        | - | - | - | -  |
| 15    | PTP1501  | P205/70R15 95S   | WSW      | 6.0          | 209           | 669          | 300/44        | - | - | - | -  |
|       | PTP1502  | P205/75R15 97T   | WSW      | 5.5          | 203           | 689          | 300/44        | - | - | - | -  |
|       | PTP1503  | P215/75R15 100T  | WSW      | 6.0          | 216           | 703          | 300/44        | - | - | - | -  |
|       | PTP1504  | P225/70R15 100T  | WSW      | 6.5          | 228           | 697          | 300/44        | - | - | - | -  |
|       | PTP1505  | P225/75R15 102T  | WSW      | 6.0          | 223           | 719          | 300/44        | - | - | - | -  |
|       | PTP1506  | P235/75R15 105S  | WSW      | 6.5          | 235           | 733          | 300/44        | - | - | - | -  |



Four main grooves provide good driving stability and wet performance.



Reasonable pattern area, perfect collocation of every grooves.



Special tread compound, ensure tire performance stability in all kinds of weather conditions.



White sidewall rib shows extraordinary appearance.

TOURING MAX



| Range | Item No. | Size Description    | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|----------|---------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
|       |          |                     |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |    |
| 13    | TMC1302  | 155R13C 90/88R      | BLK      | 4.5          | 157           | 578          | 450/65        | - | - | - | -  |
|       | TMC1301  | 165R13C 91/89R      | BLK      | 4.5          | 165           | 594          | 450/65        | - | - | - | -  |
| 14    | TMC1401  | 185R14C 102/100R    | WSW      | 5.5          | 188           | 650          | 450/65        | - | - | - | -  |
|       | TMC1402  | 195R14C 106/104R    | WSW      | 5.5          | 198           | 666          | 450/65        | - | - | - | -  |
|       | TMC1403  | 205/75R14C 109/107R | WSW      | 5.5          | 203           | 664          | 475/69        | - | - | - | -  |
| 15    | TMC1501  | 185R15C 103/102R    | WSW      | 5.5          | 188           | 674          | 450/65        | - | - | - | -  |
|       | TMC1502  | 195R15C 106/104R    | WSW      | 5.5          | 198           | 693          | 450/65        | - | - | - | -  |
|       | TMC1503  | 205/75R15C 109/107R | WSW      | 5.5          | 203           | 689          | 475/69        | - | - | - | -  |



Reinforced structure and special abrasion-resistant tread compound deliver extrapuncture resistance and load bearing capability with more mileage.



Continuous tread patterns on shoulder and solid shoulder ribs responsive handling and even wear.



Three main zigzag grooves combined with lateral blocks provide excellent ride stability and great traction on all kinds of road conditions.



White sidewall rib shows extraordinary appearance.



# SNOWBLAZER


## WINTER TIRE



M+S



Central across & 2 wide straight circumferential grooves, with the design of convexes in the bottom, improve the traction, shorten braking distance and increase the stability on the snow road.




Bionic tread pattern design makes rge whole tread blocks' stiffness more logocal, with the optimized deployment of "V" shape sipes, provide great grip on snow & ice conditions.



Wide rolling tread, by using computer-optimized design, make sure enough contact area for more grip. The wide open shoulder grooves prevent aquaplaningwith enhanced wet grip and provide excellent water & snow evacuation.



Special tread compound remains flexible at lower temperatures to make sure the grip on winter road conditions and reduce the rolling resistance.



RANGE: 13-18  
SPEED RATE: T/H/R  
ASPECT RATIO: 55-80  
SECTION WIDTH: 155-275

*ULTIMATE WINTER TIRE, OPTIMUM  
GRIP PERFORMANCE*





SNOWBLAZER

WINTER TIRE

| Range | Item No.  | Size Description | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                  |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 13    | SLP1303   | 155/70R13 75T    | BLK      | 4.5          | 157           | 548          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1304   | 155/80R13 79T    | BLK      | 4.5          | 157           | 578          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1301   | 165/70R13 79T    | BLK      | 5.0          | 170           | 562          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1302   | 175/70R13 82T    | BLK      | 5.0          | 177           | 576          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
| 14    | SLP1401   | 155/65R14 75T    | BLK      | 4.5          | 154           | 557          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1402   | 165/60R14 75T    | BLK      | 5.0          | 170           | 554          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1402XL | 165/60R14 79TXL  | BLK      | 5.0          | 170           | 554          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1403   | 165/65R14 79T    | BLK      | 5.0          | 170           | 570          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1404   | 165/70R14 81T    | BLK      | 5.0          | 170           | 588          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1404XL | 165/70R14 85TXL  | BLK      | 5.0          | 170           | 588          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1405   | 175/65R14 82T    | BLK      | 5.0          | 177           | 584          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1405XL | 175/65R14 86TXL  | BLK      | 5.0          | 177           | 584          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1406   | 175/70R14 84T    | BLK      | 5.0          | 177           | 602          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1406XL | 175/70R14 88TXL  | BLK      | 5.0          | 177           | 602          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1407   | 185/60R14 82T    | BLK      | 5.5          | 189           | 578          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1408   | 185/65R14 86T    | BLK      | 5.5          | 189           | 596          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1409XL | 185/70R14 92TXL  | BLK      | 5.5          | 189           | 616          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1410XL | 195/70R14 95TXL  | BLK      | 6.0          | 201           | 630          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
| 15    | SLP1509   | 155/60R15 74T    | BLK      | 5.0          | 157           | 567          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1510XL | 165/60R15 81TXL  | BLK      | 5.0          | 170           | 579          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1511   | 165/65R15 81T    | BLK      | 5.0          | 170           | 595          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1512   | 175/55R15 77T    | BLK      | 5.5          | 182           | 573          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1513   | 175/60R15 81T    | BLK      | 5.0          | 177           | 591          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1501   | 175/65R15 84T    | BLK      | 5.0          | 177           | 609          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1502   | 185/55R15 85H    | BLK      | 6.0          | 194           | 585          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1503   | 185/60R15 84H    | BLK      | 5.5          | 189           | 603          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1503XL | 185/60R15 88HXL  | BLK      | 5.5          | 189           | 603          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1504   | 185/65R15 88H    | BLK      | 5.5          | 189           | 621          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1504XL | 185/65R15 92TXL  | BLK      | 5.5          | 189           | 621          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 71 |
|       | SLP1514   | 195/50R15 82H    | BLK      | 6.0          | 201           | 577          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1515   | 195/55R15 85H    | BLK      | 6.0          | 201           | 595          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1505   | 195/60R15 88H    | BLK      | 6.0          | 201           | 615          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1506   | 195/65R15 91H    | BLK      | 6.0          | 201           | 635          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1506XL | 195/65R15 95TXL  | BLK      | 6.0          | 201           | 635          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1507   | 205/65R15 94H    | BLK      | 6.0          | 209           | 647          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1516   | 215/65R15 96H    | BLK      | 6.5          | 221           | 661          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1516XL | 215/65R15 100HXL | BLK      | 6.5          | 221           | 661          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1508   | 215/70R15 98T    | BLK      | 6.5          | 221           | 683          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |

SNOWBLAZER


WINTER TIRE

| Range | Item No.  | Size Description       | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|------------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                        |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 16    | SLP1601   | 205/55R16 91H          | BLK      | 6.5          | 214           | 632          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1602   | 205/60R16 92H          | BLK      | 6.0          | 209           | 652          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1602XL | 205/60R16 96HXL        | BLK      | 6.0          | 209           | 652          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1603   | 215/60R16 95H          | BLK      | 6.5          | 221           | 664          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1603XL | 215/60R16 99HXL        | BLK      | 6.5          | 221           | 664          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1604   | 215/65R16 98H          | BLK      | 6.5          | 221           | 686          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1604XL | 215/65R16 102HXL       | BLK      | 6.5          | 221           | 686          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1605   | 215/70R16 100T         | BLK      | 6.5          | 217           | 708          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1606   | 225/60R16 98H          | BLK      | 6.5          | 228           | 676          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1606XL | 225/60R16 102HXL       | BLK      | 6.5          | 228           | 676          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1607   | 225/65R16 100H         | BLK      | 6.5          | 228           | 698          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1608   | 235/65R16 103H         | BLK      | 7.0          | 240           | 712          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1609XL | 225/70R16 107TXL       | BLK      | 6.5          | 228           | 722          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1610   | 235/70R16 106T         | BLK      | 7.0          | 240           | 736          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1611XL | 245/70R16 111TXL       | BLK      | 7.0          | 248           | 750          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1612   | 265/70R16 112T         | BLK      | 8.0          | 272           | 778          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 73 |
| 17    | SLP1701   | 215/60R17 96H          | BLK      | 6.5          | 221           | 690          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1702   | 215/65R17 99H          | BLK      | 6.5          | 221           | 710          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1703   | 225/60R17 99H          | BLK      | 6.5          | 228           | 702          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1704   | 225/65R17 102T         | BLK      | 6.5          | 228           | 724          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1705XL | 235/65R17 108TXL       | BLK      | 7.0          | 240           | 738          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1706XL | 245/65R17 111TXL       | BLK      | 7.0          | 248           | 750          | 340/50        | €                                                                                   | B                                                                                   | B                                                                                   | 72 |
|       | SLP1707   | 265/65R17 112T         | BLK      | 8.0          | 272           | 776          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 73 |
|       | SLP1708   | 265/70R17 115T         | BLK      | 8.0          | 272           | 804          | 300/44        | €                                                                                   | B                                                                                   | B                                                                                   | 73 |
| 16    | SLT1601   | LT225/75R16 € 115/112R | BLK      | 6.0          | 223           | 744          | 550/80        | -                                                                                   | -                                                                                   | -                                                                                   | -  |
|       | SLT1602   | LT245/75R16 € 120/116R | BLK      | 7.0          | 248           | 774          | 550/80        | -                                                                                   | -                                                                                   | -                                                                                   | -  |
| 17    | SLT1701   | LT245/70R17 € 119/116R | BLK      | 7.0          | 248           | 782          | 550/80        | -                                                                                   | -                                                                                   | -                                                                                   | -  |
|       | SLT1702   | LT265/70R17 € 121/118R | BLK      | 8.0          | 272           | 804          | 550/80        | -                                                                                   | -                                                                                   | -                                                                                   | -  |
| 18    | SLT1801   | LT275/65R18 € 123/120R | BLK      | 8.0          | 279           | 813          | 550/80        | -                                                                                   | -                                                                                   | -                                                                                   | -  |
|       | SLT1802   | LT275/70R18 € 125/122R | BLK      | 8.0          | 279           | 843          | 550/80        | -                                                                                   | -                                                                                   | -                                                                                   | -  |



# SNOWBLAZER UHP

WINTER PERFORMANCE PCR



Four wide circumferential tread grooves and lateral grooves with fine sipes provide efficient water evacuation, outstanding wet performance.



Continuous outside tread blocks enhance excellent performance and precise control when cornering at high speed. The special rib segment design optimize contact pressure distribution, improve road contact area and provide precise control.



Continuous block patterns on shoulder enhance the ride stability at high speed cornering. The rim protector will protect wheels from curb damage.



Special tread compound remains flexible at lower temperatures to make sure the grip on winter road conditions and reduce the rolling resistance.



RANGE: 16-20  
SPEED RATE: H/V  
ASPECT RATIO: 35-60  
SECTION WIDTH: 185-315

**EXTREME WINTER TYRES,  
SUV'S BEST PARTNER**





SNOWBLAZER UHP

WINTER PERFORMANCE PCR

| Range | Item No.  | Size Description | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                  |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 16    | SLH1601   | 185/50R16 81H    | BLK      | 6.0          | 194           | 592          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | SLH1602XL | 185/55R16 87HXL  | BLK      | 6.0          | 194           | 610          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1603XL | 195/45R16 84HXL  | BLK      | 6.5          | 195           | 582          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1604XL | 195/50R16 88HXL  | BLK      | 6.0          | 201           | 603          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1605XL | 195/55R16 91HXL  | BLK      | 6.0          | 190           | 619          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1606XL | 205/55R16 94HXL  | BLK      | 6.5          | 214           | 632          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1607XL | 215/55R16 97HXL  | BLK      | 7.0          | 226           | 642          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1608XL | 225/55R16 99HXL  | BLK      | 7.0          | 233           | 680          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
| 17    | SLH1701XL | 205/45R17 88VXL  | BLK      | 7.0          | 206           | 616          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1702XL | 205/50R17 93VXL  | BLK      | 6.5          | 214           | 638          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1703XL | 205/55R17 95VXL  | BLK      | 6.5          | 214           | 658          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1704XL | 215/45R17 91VXL  | BLK      | 7.0          | 213           | 626          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1705XL | 215/50R17 95VXL  | BLK      | 7.5          | 226           | 648          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1706XL | 215/55R17 98VXL  | BLK      | 7.0          | 226           | 668          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1707XL | 225/45R17 94VXL  | BLK      | 7.5          | 225           | 634          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1708XL | 225/50R17 98VXL  | BLK      | 8.0          | 233           | 658          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1709XL | 225/55R17 101VXL | BLK      | 7.0          | 233           | 680          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1710XL | 235/45R17 97VXL  | BLK      | 7.5          | 236           | 644          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1711XL | 235/55R17 103VXL | BLK      | 7.5          | 245           | 690          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1712XL | 245/45R17 99VXL  | BLK      | 8.0          | 243           | 652          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1801XL | 215/45R18 93VXL  | BLK      | 7.0          | 213           | 651          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1802XL | 215/55R18 99VXL  | BLK      | 7.0          | 224           | 693          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
| 18    | SLH1803XL | 225/40R18 92VXL  | BLK      | 8.0          | 234           | 637          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1804XL | 225/45R18 95VXL  | BLK      | 7.5          | 225           | 659          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1805XL | 225/50R18 99VXL  | BLK      | 7.5          | 228           | 683          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | SLH1806XL | 225/55R18 102VXL | BLK      | 7.0          | 233           | 705          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1807XL | 225/60R18 104HXL | BLK      | 6.5          | 228           | 727          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1808XL | 235/45R18 98VXL  | BLK      | 8.0          | 240           | 667          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1809XL | 235/50R18 101VXL | BLK      | 7.5          | 243           | 693          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1810XL | 235/55R18 104VXL | BLK      | 7.5          | 245           | 715          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1811XL | 235/60R18 107HXL | BLK      | 7.0          | 240           | 739          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1812XL | 245/40R18 97VXL  | BLK      | 8.5          | 248           | 653          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1813XL | 245/45R18 100VXL | BLK      | 8.0          | 243           | 677          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1814   | 245/60R18 105H   | BLK      | 7.0          | 248           | 751          | 300/44        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1815XL | 255/40R18 99VXL  | BLK      | 9.0          | 263           | 661          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH1816XL | 255/45R18 103VXL | BLK      | 8.5          | 257           | 687          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH1817XL | 255/55R18 109VXL | BLK      | 8.0          | 265           | 737          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH1818XL | 255/60R18 112HXL | BLK      | 7.5          | 257           | 763          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH1819XL | 265/60R18 114HXL | BLK      | 8.0          | 272           | 775          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH1820XL | 285/60R18 120HXL | BLK      | 8.5          | 290           | 802          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |

SNOWBLAZER UHP

WINTER PERFORMANCE PCR

| Range | Item No.  | Size Description | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |  |  |  | dB |
|-------|-----------|------------------|----------|--------------|---------------|--------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|
|       |           |                  |          |              | (mm)          | (mm)         | (kpa/psi)     |                                                                                     |                                                                                     |                                                                                     |    |
| 19    | SLH1901XL | 225/40R19 93VXL  | BLK      | 8.0          | 230           | 663          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1902XL | 225/45R19 96VXL  | BLK      | 7.5          | 225           | 685          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1903XL | 225/55R19 103VXL | BLK      | 7.0          | 233           | 728          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1904XL | 235/35R19 91VXL  | BLK      | 8.5          | 241           | 647          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1905XL | 235/45R19 99VXL  | BLK      | 8.0          | 236           | 697          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1906XL | 235/55R19 105VXL | BLK      | 7.5          | 245           | 741          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1907XL | 245/40R19 98VXL  | BLK      | 8.5          | 248           | 679          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1908XL | 245/45R19 102VXL | BLK      | 8.0          | 243           | 703          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH1909XL | 245/55R19 107VXL | BLK      | 7.5          | 253           | 753          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 71 |
|       | SLH1910XL | 255/35R19 96VXL  | BLK      | 9.0          | 260           | 661          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH1911XL | 255/40R19 100VXL | BLK      | 9.0          | 260           | 687          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH1912XL | 255/50R19 107VXL | BLK      | 8.0          | 265           | 738          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH1913XL | 255/55R19 111VXL | BLK      | 8.0          | 265           | 763          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH1914XL | 285/45R19 111VXL | BLK      | 9.5          | 292           | 742          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
| 20    | SLH2001XL | 245/45R20 103VXL | BLK      | 8.0          | 243           | 728          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH2002XL | 255/45R20 105VXL | BLK      | 8.5          | 255           | 738          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH2003XL | 255/50R20 109VXL | BLK      | 8.0          | 265           | 764          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH2004XL | 255/55R20 110VXL | BLK      | 8.0          | 260           | 789          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH2005XL | 275/40R20 106VXL | BLK      | 9.5          | 278           | 728          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH2006XL | 275/45R20 110VXL | BLK      | 9.0          | 273           | 756          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH2007XL | 275/55R20 117VXL | BLK      | 8.5          | 284           | 810          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH2008XL | 275/60R20 119VXL | BLK      | 8.0          | 279           | 838          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |
|       | SLH2009XL | 285/50R20 116VXL | BLK      | 9.0          | 297           | 794          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 72 |
|       | SLH2010XL | 315/35R20 110VXL | BLK      | 11.0         | 320           | 728          | 340/50        | D                                                                                   | C                                                                                   | B                                                                                   | 73 |



# SNOWBLAZER MAX

## WINTER COMMERCIAL VAN



Central straight & 2 wide Zig-Zag circumferential blocks, with the design of convexes in the bottom, improve the traction, shorten braking distance and increase the stability on the snow road.

Wide rolling tread, by using computeroptimized design, make sure enough contact area for more grip. The wide open shoulder grooves prevent aquaplaning with enhanced wet grip and provide excellent water & snow evacuation.

Bionic tread pattern design makes rge whole tread blocks' stiffness more logocal, with the optimized deployment of "Z" shape sipes, provide great grip on snow & ice conditions.

Special tread compound remains flexible at lower temperatures to make sure the grip on winter road conditions and reduce the rolling resistance.

RANGE: 14-16  
SPEED RATE: R  
ASPECT RATIO: 65-75  
SECTION WIDTH: 175-235

| Range | Item No. | Size Description    | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|----------|---------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
|       |          |                     |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |    |
| 14    | SLC1401  | 175/65R14C 90/88R   | BLK      | 5.0          | 177           | 584          | 375/54        | E | C | B | 72 |
|       | SLC1402  | 175/70R14C 95/93R   | BLK      | 5.0          | 177           | 602          | 375/54        | E | C | B | 72 |
|       | SLC1403  | 175R14C 99/98R      | BLK      | 5.0          | 178           | 634          | 450/65        | E | C | B | 72 |
|       | SLC1404  | 185R14C 102/100R    | BLK      | 5.5          | 188           | 650          | 450/65        | E | C | B | 72 |
| 15    | SLC1501  | 195/70R15C 104/102R | BLK      | 6.0          | 201           | 655          | 450/65        | E | C | B | 72 |
|       | SLC1504  | 215/65R15C 104/102R | BLK      | 6.5          | 221           | 661          | 450/65        | E | C | B | 72 |
|       | SLC1502  | 215/70R15C 109/107R | BLK      | 6.5          | 221           | 683          | 450/65        | E | C | B | 72 |
|       | SLC1503  | 225/70R15C 112/110R | BLK      | 6.5          | 228           | 697          | 450/65        | E | C | B | 72 |
| 16    | SLC1601  | 185/75R16C 104/102R | BLK      | 5.0          | 184           | 684          | 475/69        | E | C | B | 72 |
|       | SLC1602  | 195/65R16C 104/102R | BLK      | 6.0          | 201           | 660          | 475/69        | E | C | B | 72 |
|       | SLC1603  | 195/75R16C 107/105R | BLK      | 5.5          | 196           | 698          | 475/69        | E | C | B | 72 |
|       | SLC1604  | 205/65R16C 107/105R | BLK      | 6.0          | 209           | 672          | 475/69        | E | C | B | 72 |
|       | SLC1605  | 215/65R16C 109/107R | BLK      | 6.5          | 221           | 686          | 475/69        | E | C | B | 72 |
|       | SLC1608  | 215/75R16C 113/111R | BLK      | 6.0          | 216           | 728          | 475/69        | E | C | B | 72 |
|       | SLC1606  | 225/65R16C 112/110R | BLK      | 6.5          | 228           | 698          | 475/69        | E | C | B | 72 |
|       | SLC1607  | 235/65R16C 115/113R | BLK      | 7.0          | 240           | 712          | 475/69        | E | C | B | 72 |



# ARCTIC POWER

## WINTER STUDDABLE TIRE



Dedicated, special designed studs for the middle tread and independent studs for shoulder areas, providing excellent longitudinal grip, the grip and handling performance on icy and snowy surfaces are strengthened greatly!



The wide lateral grooves provide more sharp edges that can improve the traction and grip on snow, shorten the braking distance with power.



3D sipes improve performance on snow and ice surface with its maximized actual contact area under deflection and edge effect without losing block stiffness.




Special tread compound remains flexible at lower temperatures to make sure the grip on winter road conditions.



RANGE: 13-19  
SPEED RATE: T  
ASPECT RATIO: 45-70  
SECTION WIDTH: 175-265

| Range | Item No.       | Size Description | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|----------------|------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
|       |                |                  |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |    |
| 13    | ARCTICPOWER001 | 175/70R13 82T    | BLK      | 5.0          | 177           | 576          | 300/44        | € | D | B | 69 |
|       | ARCTICPOWER002 | 175/65R14 86TXL  | BLK      | 5.0          | 177           | 584          | 340/50        | € | D | B | 69 |
| 14    | ARCTICPOWER003 | 175/70R14 88TXL  | BLK      | 5.0          | 177           | 602          | 340/50        | € | D | B | 69 |
|       | ARCTICPOWER004 | 185/60R14 82T    | BLK      | 5.5          | 189           | 578          | 300/44        | € | D | B | 69 |
|       | ARCTICPOWER005 | 185/65R14 90TXL  | BLK      | 5.5          | 189           | 596          | 340/50        | € | D | B | 69 |
|       | ARCTICPOWER006 | 185/70R14 92TXL  | BLK      | 5.5          | 189           | 616          | 340/50        | € | D | B | 69 |
|       | ARCTICPOWER007 | 185/60R15 88TXL  | BLK      | 5.5          | 189           | 603          | 340/50        | € | D | B | 69 |
| 15    | ARCTICPOWER008 | 185/65R15 92TXL  | BLK      | 5.5          | 189           | 621          | 340/50        | € | D | B | 69 |
|       | ARCTICPOWER009 | 195/60R15 92TXL  | BLK      | 6.0          | 201           | 615          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER010 | 195/65R15 95TXL  | BLK      | 6.0          | 201           | 635          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER011 | 205/65R15 98TXL  | BLK      | 6.0          | 209           | 647          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER012 | 205/70R15 96T    | BLK      | 6.0          | 209           | 669          | 300/44        | € | D | B | 70 |
| 16    | ARCTICPOWER013 | 205/55R16 94TXL  | BLK      | 7.0          | 214           | 632          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER014 | 205/60R16 96TXL  | BLK      | 6.5          | 209           | 652          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER015 | 205/65R16 99TXL  | BLK      | 6.0          | 209           | 672          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER016 | 215/55R16 97TXL  | BLK      | 6.0          | 226           | 642          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER017 | 215/60R16 99TXL  | BLK      | 6.5          | 221           | 664          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER018 | 215/65R16 102TXL | BLK      | 6.5          | 221           | 686          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER019 | 215/70R16 100T   | BLK      | 6.5          | 221           | 708          | 300/44        | € | D | B | 70 |
|       | ARCTICPOWER020 | 235/70R16 106T   | BLK      | 7.0          | 240           | 736          | 300/44        | € | D | B | 70 |
|       | ARCTICPOWER021 | 245/70R16 111TXL | BLK      | 7.0          | 248           | 750          | 340/50        | € | D | B | 70 |
| 17    | ARCTICPOWER022 | 215/50R17 95TXL  | BLK      | 7.0          | 226           | 648          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER023 | 215/55R17 98TXL  | BLK      | 7.0          | 226           | 668          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER024 | 215/60R17 100TXL | BLK      | 6.5          | 221           | 690          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER025 | 225/45R17 94TXL  | BLK      | 7.5          | 225           | 634          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER026 | 225/50R17 98TXL  | BLK      | 7.0          | 233           | 658          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER027 | 225/55R17 101TXL | BLK      | 7.0          | 233           | 680          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER028 | 225/60R17 103TXL | BLK      | 6.5          | 228           | 702          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER029 | 225/65R17 106TXL | BLK      | 6.5          | 228           | 724          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER030 | 235/55R17 103TXL | BLK      | 7.5          | 245           | 690          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER031 | 235/65R17 108TXL | BLK      | 7.0          | 240           | 738          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER032 | 265/65R17 112T   | BLK      | 8.0          | 272           | 776          | 300/44        | € | D | A | 70 |
| 18    | ARCTICPOWER033 | 225/45R18 95TXL  | BLK      | 7.5          | 225           | 659          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER034 | 225/55R18 102TXL | BLK      | 7.0          | 233           | 705          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER035 | 225/60R18 104TXL | BLK      | 6.5          | 228           | 727          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER036 | 235/45R18 98TXL  | BLK      | 8.0          | 236           | 669          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER037 | 235/55R18 104TXL | BLK      | 7.5          | 245           | 715          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER038 | 235/60R18 107TXL | BLK      | 7.0          | 240           | 739          | 340/50        | € | D | B | 70 |
|       | ARCTICPOWER040 | 265/60R18 114TXL | BLK      | 8.0          | 272           | 775          | 340/50        | € | D | A | 70 |
| 19    | ARCTICPOWER039 | 235/55R19 105TXL | BLK      | 7.5          | 245           | 741          | 340/50        | € | D | B | 70 |





# ICE-SPIDER

## WINTER STUDDABLE TIRE



Studded winter tires with V-shape Tread Pattern, enhance snow traction performance through rigidity of the blocks.

Optimum allocation of multi random stud lines, Improve traction performance on snow & ice and minimizes stud noises.

Maximized performance on ice & snow by edge effects and improve straight directional driving stability. Maximized handling and traction performance on winter conditions by edge effects of wave & step multi sipes, optimized arrangement of sipes and block rigidity.

Special tread compound remains flexible at lower temperatures to make sure the grip on winter road conditions.

RANGE: 14-18  
SPEED RATE: R/S/T/H  
ASPECT RATIO: 45-75  
SECTION WIDTH: 175-275

| Range | Item No.  | Size Description   | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|-----------|--------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
|       |           |                    |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |    |
| 14    | ISP1401XL | 175/65R14 86TXL    | BLK      | 5.0          | 177           | 584          | 340/50        | D | C | B | 71 |
|       | ISP1402XL | * 175/70R14 88TXL  | BLK      | 5.0          | 177           | 602          | 340/50        | D | C | B | 71 |
|       | ISP1403XL | 185/65R14 90TXL    | BLK      | 5.5          | 189           | 596          | 340/50        | D | C | B | 71 |
|       | ISP1404XL | * 185/70R14 92TXL  | BLK      | 5.5          | 189           | 616          | 340/50        | D | C | B | 71 |
| 15    | ISP1501XL | 185/60R15 88TXL    | BLK      | 5.5          | 189           | 603          | 340/50        | D | C | B | 71 |
|       | ISP1502XL | 185/65R15 92TXL    | BLK      | 5.5          | 189           | 621          | 340/50        | D | C | B | 71 |
|       | ISP1503XL | 195/60R15 92TXL    | BLK      | 6.0          | 201           | 615          | 340/50        | D | C | B | 72 |
|       | ISP1504XL | 195/65R15 95TXL    | BLK      | 6.0          | 201           | 635          | 340/50        | D | C | B | 72 |
|       | ISP1505   | * 205/65R15 94T    | BLK      | 6.0          | 209           | 647          | 300/44        | D | C | B | 72 |
|       | ISP1506   | * 215/70R15 98T    | BLK      | 6.5          | 221           | 683          | 300/44        | D | C | B | 72 |
|       | ISP1601XL | 205/55R16 94TXL    | BLK      | 6.5          | 214           | 632          | 340/50        | D | C | B | 72 |
| 16    | ISP1602XL | 205/60R16 96TXL    | BLK      | 6.0          | 209           | 652          | 340/50        | D | C | B | 72 |
|       | ISP1603XL | 215/60R16 99TXL    | BLK      | 6.5          | 221           | 664          | 340/50        | D | C | B | 72 |
|       | ISP1604XL | 215/65R16 102TXL   | BLK      | 6.5          | 221           | 686          | 340/50        | D | C | B | 72 |
|       | ISP1605   | 215/70R16 100T     | BLK      | 6.5          | 221           | 708          | 300/44        | D | C | B | 72 |
|       | ISP1606XL | 225/60R16 102TXL   | BLK      | 6.5          | 228           | 676          | 340/50        | D | C | B | 72 |
|       | ISP1607XL | 225/65R16 104TXL   | BLK      | 6.5          | 228           | 698          | 340/50        | D | C | B | 72 |
|       | ISP1608   | * 225/70R16 103T   | BLK      | 6.5          | 258           | 722          | 300/44        | D | C | B | 72 |
|       | ISP1609   | 235/70R16 106T     | BLK      | 7.0          | 240           | 736          | 300/44        | D | C | B | 72 |
|       | ISP1610XL | * 245/70R16 111TXL | BLK      | 7.0          | 248           | 750          | 340/50        | D | C | B | 72 |
|       | ISP1701XL | 215/55R17 98HXL    | BLK      | 7.0          | 226           | 668          | 340/50        | D | C | B | 72 |
| 17    | ISP1702XL | 215/60R17 100HXL   | BLK      | 6.5          | 221           | 690          | 340/50        | D | C | B | 72 |
|       | ISP1703XL | 225/45R17 94HXL    | BLK      | 7.5          | 225           | 634          | 340/50        | D | C | B | 72 |
|       | ISP1704XL | 225/50R17 98HXL    | BLK      | 7.0          | 233           | 658          | 340/50        | D | C | B | 72 |
|       | ISP1705XL | 225/55R17 101HXL   | BLK      | 7.0          | 233           | 680          | 340/50        | D | C | B | 72 |
|       | ISP1706XL | 225/60R17 103HXL   | BLK      | 6.5          | 228           | 702          | 340/50        | D | C | B | 72 |
|       | ISP1707XL | 225/65R17 106TXL   | BLK      | 6.5          | 228           | 724          | 340/50        | D | C | B | 72 |
|       | ISP1708XL | * 235/45R17 97HXL  | BLK      | 7.5          | 236           | 644          | 340/50        | D | C | B | 72 |
|       | ISP1709XL | * 235/55R17 103HXL | BLK      | 7.5          | 245           | 690          | 340/50        | D | C | B | 72 |
|       | ISP1710XL | 235/65R17 108TXL   | BLK      | 7.0          | 240           | 738          | 340/50        | D | C | B | 72 |
|       | ISP1711XL | 245/65R17 111TXL   | BLK      | 7.0          | 248           | 750          | 340/50        | D | C | B | 72 |
|       | ISP1712   | 265/70R17 115T     | BLK      | 8.0          | 272           | 804          | 300/44        | D | C | B | 73 |
|       | ISP1801XL | * 225/45R18 95HXL  | BLK      | 7.5          | 225           | 659          | 340/50        | D | C | B | 72 |
| 18    | ISP1802XL | * 225/55R18 102HXL | BLK      | 7.0          | 233           | 705          | 340/50        | D | C | B | 72 |
|       | ISP1803XL | * 235/45R18 98HXL  | BLK      | 8.0          | 240           | 667          | 340/50        | D | C | B | 72 |
|       | ISP1804XL | * 235/55R18 104HXL | BLK      | 7.5          | 245           | 715          | 340/50        | D | C | B | 72 |

| Range | Item No. | Size Description         | Sidewall | Standard Rim | Section Width | OA. Diameter | Max. Pressure |   |   |   | dB |
|-------|----------|--------------------------|----------|--------------|---------------|--------------|---------------|---|---|---|----|
|       |          |                          |          |              | (mm)          | (mm)         | (kpa/psi)     |   |   |   |    |
| 16    | ISC1601  | 185/75R16C 104/102R      | BLK      | 5.0          | 184           | 684          | 475/69        | D | C | B | 73 |
|       | ISC1602  | 235/65R16C 115/113R      | BLK      | 7.0          | 240           | 712          | 475/69        | D | C | B | 73 |
|       | IST1603  | LT225/75R16 E 115/112S   | BLK      | 6.0          | 223           | 744          | 550/80        | - | - | - | -  |
|       | IST1604  | LT245/75R16 E 120/116S   | BLK      | 7.0          | 248           | 774          | 550/80        | - | - | - | -  |
| 17    | IST1701  | LT245/70R17 E 119/116S   | BLK      | 7.0          | 248           | 776          | 550/80        | - | - | - | -  |
|       | IST1702  | LT265/70R17 E 121/118S   | BLK      | 8.0          | 272           | 804          | 550/80        | - | - | - | -  |
| 18    | IST1801  | * LT275/65R18 E 123/120S | BLK      | 8.0          | 279           | 815          | 550/80        | - | - | - | -  |
|       | IST1802  | * LT275/70R18 E 125/122S | BLK      | 8.0          | 279           | 843          | 550/80        | - | - | - | -  |



# PCR CERTIFICATE

|                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                              | <p align="center"><b>山东昊华轮胎有限公司</b><br/> <b>SHANDONG HAOHUA TIRE CO., LTD</b><br/> <small>1000 JIANG SU ROAD, TIAN JIN, 300150 CHINA, SHANGHAI, CHINA</small><br/> <small>Tel.: +86-204-2338667 Fax: +86-204-2338657</small></p> |
| <p align="center"><b>GSO Conformity Certificate</b></p>                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                  |
| <p><b>Light Truck Tyres</b></p>                                                                                                                                                                                                                                                                                                                                 | <p align="right"><b>CCR No. 332482</b></p>                                                                                                                                                                                       |
| <ul style="list-style-type: none"> <li>• Manufacturer: SHANDONG HAOHUA TIRE CO., LTD</li> <li>• Brand: WINDFORCE</li> <li>• Pattern: PERFORMAX</li> <li>• Country of Production: CHINA</li> </ul>                                                                                                                                                               |                                                                                                                                             |
| <p><b>To: GCC Standardization Organization (GSO)</b></p>                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                  |
| <p>We hereby certify that the tyres manufactured by SHANDONG HAOHUA TIRE CO., LTD</p>                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                  |
| <ul style="list-style-type: none"> <li>(a) Tyre: <b>17235R15H6 120/165</b></li> <li>(b) Tyre/Tubeless: <b>Tubeless</b></li> <li>(c) Tyre Class: <b>C2</b></li> <li>(d) Load Index (LI) at: <b>Normal</b></li> <li>(e) Rolling Resistance Coefficient (RRC): <b>88.1 km/h --- Average</b></li> <li>(f) Wet Grip Index (G): <b>01.32 --- Very Good</b></li> </ul> |                                                                                                                                                                                                                                  |
| <p><b>Produced</b> in the week no. <b>10</b> in the year of <b>2020</b> (with week no. 00 in the year of 2021)<br/>         We hereby the GSO Technical Regulations Nos: 42:2015, 645:2005, 646:1996, 647:1995</p>                                                                                                                                              |                                                                                                                                                                                                                                  |
| <p><b>Note:</b> All tyres are guaranteed for 12 months against manufacturing defects under normal operating conditions and with no recommended inflation pressure.</p>                                                                                                                                                                                          |                                                                                                                                                                                                                                  |
| <div data-bbox="822 1631 970 1774">  </div> <p align="center">23 MAR 2020</p>                                                                                                                                                                                                | <p align="right"><b>Wang Keqiang</b><br/>         Chief Executive Officer<br/>         Top Management</p> <p align="right"><i>Wang Keqiang</i></p>                                                                               |

# Certificate

## For

### Energy Efficiency Label



SAUDI ARABIAN STANDARDS ORGANIZATION  
الهيئة العامة للمواصفات والمقاييس

**The Saudi Standards, Metrology and Quality Org. (SASO)**  
has certified :  
to use the energy efficiency label According to SASO 2857 2016 , for the following product (s):

| The Product | Manufacturer & Commercial Name | Type Spec.               | RI Grade | RII Grade | License Number |
|-------------|--------------------------------|--------------------------|----------|-----------|----------------|
| Washing Dry | WASHING DRY<br>(WASHING DRY)   | 2000-2019 SL<br>C1 30.0A | High     | Very Good | 140-00000048   |

\* This certificate is valid for one Gregorian year starting from 07-11-1440 H. 09-JA-2019 (A.D.)  
This certificate is subject during its validation to the related Rules & Regulations of the Kingdom of Saudi Arabia, and any instructions or Amendments issued by SASO.





Certificate No: T1800462016





*ENJOY YOUR TRIPS WITH  
WINDFORCE TYRES*